

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ContraFlux FM

UFI: ENS2-V06V-X00A-8Y4T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Electronics cleaner for spray and immersion plants

1.3. Details of the supplier of the safety data sheet

Company name:	kolb Cleaning Technology GmbH	
Street:	Karl-Arnold-Str. 12	
Place:	D-47877 Willich	
Telephone:	+49-2154-947938	Telefax: +49-2154-947947
E-mail:	info@kolb-ct.com	
Contact person:	Christian Linker	Telephone: +49-2324-97980
E-mail:	christian.linker@kolb-ct.com	
Internet:	www.kolb-ct.com	
Responsible Department:	Labor/ QS	

1.4. Emergency telephone number:

+49/ (0) 23 24/ 979817 (EU)
+61 4 19 809 805 (Australia)
+1 970 443 9233 (USA)
Schweiz: 145

Further Information

Australia:	USA:
kolb Cleaning Technology AP PTY LTD	kolb USA LLC
6/150 Canterbury Road	410 Sunset, Unit C
NSW 2200 Bankstown	80501 Longmont – CO
Phone: +61 2 97900273	Phone 001- 970-532-5100
Mobile +61 4 19 809 805	Mobile: 001- 970-443-9233

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

2-aminoethanol; ethanolamine

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 2 of 11

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P363	Wash contaminated clothing before reuse.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

@000000000027 alcohols, @000000000062, alkalis,@000000000033

Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
		REACH No
	Classification (GB CLP Regulation)	
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	30 - < 50 %
	252-104-2	01-2119450011-60
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	5 - < 15 %
	203-961-6	603-096-00-8
	Eye Irrit. 2; H319	
141-43-5	2-aminoethanol; ethanolamine	1 - < 5 %
	205-483-3	603-030-00-8
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, STOT SE 3; H332 H312 H302 H314 H318 H317 H335	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	1 - < 5 %
	200-661-7	603-117-00-0
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
34590-94-8	252-104-2	Dipropylene glycol monomethyl ether, Isomerengem	30 - < 50 %
		dermal: LD50 = 19020 mg/kg; oral: LD50 = 5130 mg/kg	
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	5 - < 15 %
		dermal: LD50 = 2746 mg/kg; oral: LD50 = 5660 mg/kg	
141-43-5	205-483-3	2-aminoethanol; ethanolamine	1 - < 5 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 2504 mg/kg; oral: LD50 = 1089 mg/kg STOT SE 3; H335: >= 5 - 100	
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	1 - < 5 %
		dermal: LD50 = 12800 mg/kg; oral: LD50 = 5050 mg/kg	

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 4 of 11

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 5 of 11

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol		
Worker DNEL, long-term	inhalation	systemic	500 mg/m ³
Worker DNEL, acute	inhalation	systemic	1000 mg/m ³
Worker DNEL, long-term	dermal	systemic	888 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	89 mg/m ³
Consumer DNEL, acute	inhalation	systemic	178 mg/m ³
Consumer DNEL, long-term	dermal	systemic	319 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	26 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	51 mg/kg bw/day

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Use respirator filters of the following type: FFP 2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	yellowish-yellowish	
Odour:	Amines	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 100 °C
Auto-ignition temperature:		>180 °C
Decomposition temperature:		not determined
pH-Value (at 20 °C):		12,4
Water solubility: (at 20 °C)		full soluble in water.

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 6 of 11

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

not determined

Vapour pressure:

0,15 hPa

(at 20 °C)

Density (at 20 °C):

0,962 g/cm³

Relative vapour density:

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Viscosity / dynamic:

26 mPa·s

(at 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

ATEmix calculated

ATE (oral) 25624 mg/kg; ATE (dermal) 25882 mg/kg; ATE (inhalation vapour) 258,8 mg/l; ATE (inhalation dust/mist) 35,29 mg/l

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 7 of 11

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem					
	oral	LD50 mg/kg	5130	Ratte	AMA	
	dermal	LD50 mg/kg	19020	Ratte		
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	oral	LD50 mg/kg	5660			
	dermal	LD50 mg/kg	2746			
141-43-5	2-aminoethanol; ethanolamine					
	oral	LD50 mg/kg	1089	Rat		
	dermal	LD50 mg/kg	2504	Rabbit		
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	oral	LD50 mg/kg	5050	Rat		
	dermal	LD50 mg/kg	12800	Rabbit		

11.2. Information on other hazards

Other information

There are no other hazards that require special attention.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem					
	Acute fish toxicity	LC50 >10000 mg/l	96 h	Pimephales promelas (Amerikan. Elritze)		
	Acute algae toxicity	ErC50 >969 mg/l	96 h	Alge		
	Acute crustacea toxicity	EC50 1919 mg/l	48 h	Daphnia magna (Wasserfloh)		
	Crustacea toxicity	NOEC 12 mg/l		Daphnia magna (Wasserfloh)		
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 1300 mg/l	96 h			
	Acute algae toxicity	ErC50 100 mg/l				
	Acute crustacea toxicity	EC50 100 mg/l	48 h			
141-43-5	2-aminoethanol; ethanolamine					
	Acute fish toxicity	LC50 349 mg/l	96 h			
	Acute algae toxicity	ErC50 2,8 mg/l	72 h			
	Acute crustacea toxicity	EC50 65 mg/l	48 h			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute fish toxicity	LC50 10000 mg/l	96 h	Pimephales promelas	REACH Registration Dossier	OECD Guideline 203
	Acute crustacea toxicity	EC50 1400 mg/l	48 h			
	Fish toxicity	NOEC > 1000 mg/l	28 d	Danio rerio	REACH Registration Dossier	other: REACH Guidance on QSARs R.6
	Crustacea toxicity	NOEC > 1000 mg/l	21 d	Daphnia magna	REACH Registration Dossier	other: REACH Guidance on QSARs R.6

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem				
	OECD 301E	>70%	28		
	biologisch abbaubar				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,994		Meylan,WM, Howard,PH

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 10 of 11

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 55, Entry 75

Directive 2010/75/EU on industrial emissions: 51,35 % (493,987 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 62,65 % (602,693 g/l)

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]. To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

Safety Data Sheet

according to UK REACH Regulation

ContraFlux FM

Revision date: 04.03.2024

Product code: 090624-RM

Page 11 of 11

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)