



according to Regulation (EC) No 1907/2006 (Revision 2020/878)

# **DisplayClean**

Revision date: 13.05.2024 Product code: 090638-RM Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

DisplayClean

UFI: PHW2-N08R-Q00M-1ACQ

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Professional cleaners for industrial use

#### Uses advised against

No further information is available at the moment.

# 1.3. Details of the supplier of the safety data sheet

Company name: kolb Cleaning Technology GmbH

Street: Karl-Arnold-Str. 12
Place: D-47877 Willich
Telephone: +49-2154-947938

Telephone: +49-2154-947938 Telefax: +49-2154-947947

E-mail: info@kolb-ct.com

Contact person: Christian Linker Telephone: +49-2324-97980

E-mail: christian.linker@kolb-ct.com

Internet: www.kolb-ct.com

Responsible Department: Labor/ QS

 1.4. Emergency telephone
 +49/ (0) 23 24/ 979817 (EU)

 number:
 +61 4 19 809 805 (Australia)

+1 970 443 9233 (USA)

Schweiz: 145

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

# 2.2. Label elements

# Regulation (EC) No 1272/2008

### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

# Additional advice on labelling

UFI: GM90-V02T-600E-WREX

# 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006 (Revision 2020/878)

# **DisplayClean**

Revision date: 13.05.2024 Product code: 090638-RM Page 2 of 8

#### **Hazardous components**

CAS No	Chemical name				
	EC No Index No REACH No				
	Classification (Regulation (EC) No 1272/2008)				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			5 - < 15 %	
	200-661-7 603-117-00-0				
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336				

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	5 - < 15 %	
	dermal: LD50 = 12800 mg/kg; oral: LD50 = 5050 mg/kg			

### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, perfumes (Limonene, Citral).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

# After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# After ingestion

Rinse mouth immediately and drink 1 glass of of water.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Use personal protection equipment.



according to Regulation (EC) No 1907/2006 (Revision 2020/878)

# **DisplayClean**

Revision date: 13.05.2024 Product code: 090638-RM Page 3 of 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

Professional cleaners for industrial use

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
140-11-4	Benzyl acetate	10	-		TWA (8 h)	
5392-40-5	Citral (Inhalable Fraction and Vapour)	5	-		TWA (8 h)	
67-63-0	Isopropyl alcohol	200	-		TWA (8 h)	
		400	-		STEL (15 min)	

# **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
67-63-0	2-Propanol	Acetone	40 mg/L		End of shift at end of workweek



according to Regulation (EC) No 1907/2006 (Revision 2020/878)

# **DisplayClean**

Revision date: 13.05.2024 Product code: 090638-RM Page 4 of 8

### **DNEL/DMEL values**

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
Worker DNEL,	long-term	inhalation	systemic	500 mg/m³			
Worker DNEL,	acute	inhalation	systemic	1000 mg/m³			
Worker DNEL, long-term		dermal	systemic	888 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	systemic	89 mg/m³			
Consumer DN	EL, acute	inhalation	systemic	178 mg/m³			
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day			
Consumer DNEL, long-term		oral	systemic	26 mg/kg bw/day			
Consumer DN	EL, acute	oral	systemic	51 mg/kg bw/day			

#### 8.2. Exposure controls

# Individual protection measures, such as personal protective equipment

# Eye/face protection

Wear eye protection/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour:

Odour: Lemon

Melting point/freezing point:

Boiling point or initial boiling point and

80 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined not determined Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value (at 20 °C): 7,5 Water solubility: full soluble in water.

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined



according to Regulation (EC) No 1907/2006 (Revision 2020/878)

# DisplayClean

Revision date: 13.05.2024 Product code: 090638-RM Page 5 of 8

Density (at 25 °C): 1,01 g/cm³
Relative vapour density: not determined

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

### Other safety characteristics

Evaporation rate:

Solid content:

Viscosity / dynamic:

(at 20 °C)

not determined

not determined

22 mPa·s

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

Based on available data, the classification criteria are not met.

### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
67-63-0	propan-2-ol; isopropyl alc	propan-2-ol; isopropyl alcohol; isopropanol						
	oral	LD50 5050 mg/kg	Rat					
	dermal	LD50 12800 mg/kg	Rabbit					

## Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (Revision 2020/878)

# **DisplayClean**

Revision date: 13.05.2024 Product code: 090638-RM Page 6 of 8

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### **Further information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol							
	Acute fish toxicity	LC50 mg/l	10000	96 h	Pimephales promelas	REACh Registration Dossier	OECD Guideline 203	
	Acute crustacea toxicity	EC50 mg/l	1400	48 h				
	Fish toxicity	NOEC mg/l	> 1000	28 d	Danio rerio	REACh Registration Dossier	other: REACH Guidance on QSARs R.6	
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna	REACh Registration Dossier	other: REACH Guidance on QSARs R.6	

# 12.2. Persistence and degradability

The product has not been tested.

# 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05

# **BCF**

CAS No	Chemical name	BCF	Species	Source
67-63-0	propan-2-ol; isopropyl alcohol;	0,994		Meylan,WM, Howard,PH
	isopropanol			

## 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

# 12.6. Endocrine disrupting properties





according to Regulation (EC) No 1907/2006 (Revision 2020/878)

# **DisplayClean**

Revision date: 13.05.2024 Product code: 090638-RM Page 7 of 8

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

# **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No information available.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

Directive 2010/75/EU on industrial 8,293 % (83,759 g/l)

emissions:

Directive 2004/42/EC on VOC in 8,309 % (83,922 g/l)

paints and varnishes:

Information according to Directive Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

# Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]. To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

## National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No 1907/2006 (Revision 2020/878)

# **DisplayClean**

Product code: 090638-RM Revision date: 13.05.2024 Page 8 of 8

### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

**DNEL: Derived No Effect Level** DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. **EUH210** Safety data sheet available on request.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)