







CLEANING TECHNOLOGY  
Made in Germany

kolb Cleaning Technology GmbH

□□□□□□□□

EU□□No. 1907/2006□□□ (2020/878)

## Flux Remover FR 60

□□□□□□: 08.12.2023

□□□□: 091601-RM

□□□ 3 □ 8

□□□

□□□□□□□□□□1□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

### 5 □□□□□□

□□□

□□□□□□

□□□□□ (CO<sub>2</sub>)□ □□ □□□□□□

□□□□□□□□□□□

□□

□□□□□□□□□□□□□□□□

□□□□□□ □□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□ □□□□□□

□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□/□□/□□□□□□□□□□□□□□□□□□□□ □□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

### 6 □□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□□ □□/□□/□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□

□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□

□□

□□□□□□□□□□

□□□□□□□□□□

□□□□□: □□□□ □ 7

□□□□□: □□□□ □ 8

□□□□□: □□□□ □ 13

### 7 □□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□/□□/□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□ - □□□ □□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□

□□

□□□□□□□□□□□□□□





## Flux Remover FR 60

□□□□□□: 08.12.2023

□□□□□: 091601-RM

6  8

CAS						
			[h]   [d]			
	Kohlenwasserstoffe, C6, Isoalkane, < 5% n-Hexan					
		LC50(50% ) 18,27 mg/l	96 h			
		ErC50 13,56 mg/l	72 h			
		EC50 31,9 mg/l	48 h			
64742-49-0	Kohlenwasserstoffe, C7, n-Alkane, Isoalkane, cyclische					
		LC50(50% ) 13,4 mg/l	96 h			
		ErC50 20 mg/l	72 h			
		EC50 3 mg/l	48 h			

□ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□□□□□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

n-□□□□□□□□□□

CAS□□	□□□	Log Pow
75-28-5	isobutane	2,8

Page 10 of 10

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □

□ □ □ □ □

[illegible]

13 ☐ ☐ ☐ ☐ ☐ ☐

□ □ □ □ □ □ □

□ □ □ □ □

[illegible]

□ □ □ □ □ □

[illegible]

**14**

□ □ □ □ (IMDG)

UN□□□□□ID□□:

UN 1950

[illegible]

AEROSOLS

□ □ □ □ □ □ □ □ □ □ □ □ □ □ :

2.1

[illegible]

—

□ □ □ □ □ □ :

## 2.1

□ □ □ □ □ :

63, 190, 277, 327, 344, 381, 959

333

1000 mL



7  8

1111

203  
75 kg  
203  
150 kg

:

: 2 -

□□□: 19.01.2024

## Flux Remover FR 60

□□□□□□: 08.12.2023

□□□□□: 091601-RM

88

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

<http://abbrev.esdscom.eu>

**GHS**

□□	□□□□
Aerosol 3; H229	□□□□□□□□□□
Skin Irrit. 2; H315	□□□□□□ "□□□□□□"
STOT SE 3; H336	□□□□□□ "□□□□□□"
Aquatic Chronic 2; H411	□□□□

**H E U H** ( )

H220	□□□□□□□□□□□□□□
H222	□□□□□□□□□□□□□□□□□□
H225	□□□□□□□□□□□□
H229	□□□□□□□□□□□□□□
H304	□□□□□□□□□□□□□□□□□□□□
H315	□□□□□
H336	□□□□□□□□□□□□
H411	□□□□□□□□□□□□□□□□□□

[illegible]