

### according to UK REACH Regulation

#### MultiEx 3D-E14

Revision date: 08.01.2024 Product code: 090646-RM Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

MultiEx 3D-E14

UFI: HGT2-X03V-0009-VCYF

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Electronics cleaner for spray and immersion plants

### 1.3. Details of the supplier of the safety data sheet

Company name: kolb Cleaning Technology GmbH

Street: Karl-Arnold-Str. 12
Place: D-47877 Willich
Telephone: +49-2154-947938

Telephone: +49-2154-947938 Telefax: +49-2154-947947

e-mail: info@kolb-ct.com

Contact person: Christian Linker Telephone: +49-2324-97980

e-mail: christian.linker@kolb-ct.com

Internet: www.kolb-ct.com

Responsible Department: Labor/ QS

 1.4. Emergency telephone
 +49/ (0) 23 24/ 979817 (EU)

 number:
 +61 4 19 809 805 (Australia)

 +1 970 443 9233 (USA)

Schweiz: 145

**Further Information** 

Australia: USA:

 kolb Cleaning Technology AP PTY LTD
 kolb USA LLC

 6/150 Canterbury Road
 410 Sunset, Unit C

 NSW 2200 Bankstown
 80501 Longmont – CO

 Phone: +61 2 97900273
 Phone 001- 970-532-5100

 Mobile: +61 4 19 809 805
 Mobile: 001- 970-443-9233

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### **GB CLP Regulation**

Signal word: Warning

Pictograms:



### **Hazard statements**

H315 Causes skin irritation.
H319 Causes serious eye irritation.

## **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing



## according to UK REACH Regulation

### MultiEx 3D-E14

Revision date: 08.01.2024 Product code: 090646-RM Page 2 of 10

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

Cleaner on the basis of (according to EC Detergents Regulation 648/2004): glycols, alcohols, alkalis, phosphonic acide derivatives.

### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (GB CLF	Regulation)	•			
34590-94-8	Dipropylene glycol moi	nomethyl ether, Isomerengem		5 - < 15 %		
	252-104-2		01-2119450011-60			
111-76-2	2-butoxyethanol; ethyle	1 - < 5 %				
	203-905-0	603-014-00-0				
	Acute Tox. 3, Acute To	x. 4, Skin Irrit. 2, Eye Irrit. 2; H331 H	302 H315 H319			
67-63-0	propan-2-ol; isopropyl	1 - < 5 %				
	200-661-7	603-117-00-0				
	Flam. Liq. 2, Eye Irrit. 2	2, STOT SE 3; H225 H319 H336				
141-43-5	2-aminoethanol; ethan	olamine		1 - < 5 %		
	205-483-3	603-030-00-8				
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H332 H312 H302 H314 H318 H335					

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
34590-94-8	252-104-2	Dipropylene glycol monomethyl ether, Isomerengem	5 - < 15 %
	dermal: LD50	= 19020 mg/kg; oral: LD50 = 5130 mg/kg	
111-76-2	203-905-0	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	1 - < 5 %
	inhalation: ATI	3 mg/l (vapours); dermal: LD50 = 435 mg/kg; oral: ATE 1200 mg/kg	
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	1 - < 5 %
	dermal: LD50	= 12800 mg/kg; oral: LD50 = 5050 mg/kg	
141-43-5	205-483-3	2-aminoethanol; ethanolamine	1 - < 5 %
		E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = al: LD50 = 1089 mg/kg	

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures



according to UK REACH Regulation

## MultiEx 3D-E14

Revision date: 08.01.2024 Product code: 090646-RM Page 3 of 10

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling



according to UK REACH Regulation

#### MultiEx 3D-E14

Revision date: 08.01.2024 Product code: 090646-RM Page 4 of 10

#### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

### **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol		Post shift

### 8.2. Exposure controls

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.



according to UK REACH Regulation

### MultiEx 3D-E14

Revision date: 08.01.2024 Product code: 090646-RM Page 5 of 10

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: neutral
Odour: specific

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

100 °C

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

not determined

Upper explosion limits:

not determined

Flash point:

> 100 °C

Auto-ignition temperature:

Decomposition temperature:

pH-Value (at 20 °C):

11

Water solubility: full soluble in water.

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

0,99 g/cm³

not determined

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

### Other safety characteristics

Evaporation rate: not determined Solid content: not determined Viscosity / dynamic: 30,0 mPa·s

(at 20 °C)

#### **Further Information**

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none



according to UK REACH Regulation

### MultiEx 3D-E14

Revision date: 08.01.2024 Product code: 090646-RM Page 6 of 10

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### **ATEmix calculated**

ATE (oral) 17539,8 mg/kg; ATE (dermal) 51764,7 mg/kg; ATE (inhalation vapour) 59,06 mg/l; ATE (inhalation dust/mist) 70,588 mg/l

### **Acute toxicity**

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem							
	oral	LD50 mg/kg	5130	Ratte	АМА			
	dermal	LD50 mg/kg	19020	Ratte				
111-76-2	2-butoxyethanol; ethylen	eglycol mone	obutyl ether;	butyl cellosolve				
	oral	ATE 1200	mg/kg					
	dermal	LD50 mg/kg	435	Rabbit				
	inhalation vapour	ATE 3 mg	/I					
67-63-0	propan-2-ol; isopropyl al	propan-2-ol; isopropyl alcohol; isopropanol						
	oral	LD50 mg/kg	5050	Rat				
	dermal	LD50 mg/kg	12800	Rabbit				
141-43-5	2-aminoethanol; ethanol	amine						
	oral	LD50 mg/kg	1089	Rat				
	dermal	LD50 mg/kg	2504	Rabbit				
	inhalation vapour	ATE	11 mg/l					
	inhalation dust/mist	ATE	1,5 mg/l					

### 11.2. Information on other hazards

### Other information

There are no other hazards that require special attention.

### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.



according to UK REACH Regulation

### MultiEx 3D-E14

Revision date: 08.01.2024 Product code: 090646-RM Page 7 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
34590-94-8	Dipropylene glycol monor	nethyl ether	, Isomerenge	m			
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Pimephales promelas (Amerikan. Elritze)		
	Acute algae toxicity	ErC50 mg/l	>969	96 h	Alge		
	Acute crustacea toxicity	EC50 mg/l	1919	48 h	Daphnia magna (Wasserfloh)		
	Crustacea toxicity	NOEC	12 mg/l		Daphnia magna (Wasserfloh)		
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve						
	Acute fish toxicity	LC50 mg/l	1474	96 h			
	Acute algae toxicity	ErC50 mg/l	1232	72 h			
	Acute crustacea toxicity	EC50 mg/l	1800	48 h			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
	Acute fish toxicity	LC50 mg/l	9640	96 h			
	Acute crustacea toxicity	EC50 mg/l	1400	48 h			
141-43-5	2-aminoethanol; ethanola	mine					
	Acute fish toxicity	LC50	349 mg/l	96 h			
	Acute algae toxicity	ErC50	2,8 mg/l	72 h			
	Acute crustacea toxicity	EC50	65 mg/l	48 h			

## 12.2. Persistence and degradability

The product has not been tested.

The product has not been tested.					
CAS No	Chemical name				
	Method	Val	alue	d	Source
	Evaluation			-	•
34590-94-8	Dipropylene glycol monomethyl ether, Ison	merengem			
	OECD 301E	>70	'0%	28	
	biologisch abbaubar	-			

# 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6

## 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.



according to UK REACH Regulation

#### MultiEx 3D-E14

Revision date: 08.01.2024 Product code: 090646-RM Page 8 of 10

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): 24,835 % (245,867 g/l) 2004/42/EC (VOC): 24,835 % (245,867 g/l)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

## Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

# National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to UK REACH Regulation

#### MultiEx 3D-E14

Revision date: 08.01.2024 Product code: 090646-RM Page 9 of 10

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

# Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

## Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.



according to UK REACH Regulation

### MultiEx 3D-E14

Revision date: 08.01.2024 Product code: 090646-RM Page 10 of 10

H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)