

Safety Data Sheet

according to UK REACH Regulation

MultiEx 3D-A3

Revision date: 04.01.2022

Product code: 090666-RM

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MultiEx 3D-A3

Further trade names

Old name: MultiEx 3D-468 mod.2-A3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Electronics cleaner for spray and immersion plants

1.3. Details of the supplier of the safety data sheet

Company name:	kolb Cleaning Technology GmbH	
Street:	Karl-Arnold-Str. 12	
Place:	D-47877 Willich	
Telephone:	+49-2154-947938	Telefax: +49-2154-947947
e-mail:	info@kolb-ct.com	
Contact person:	Herr Linker	Telephone: +49-2324-97980
e-mail:	christian.linker@kolb-ct.com	
Internet:	www.kolb-ct.com	
Responsible Department:	Labor/ QS	

1.4. Emergency telephone number:

+49/ (0) 23 24/ 979817 (EU)
+61 4 19 809 805 (Australia)
+1 970 443 9233 (USA)
Schweiz: 145

Further Information

Australia:	USA:
kolb Cleaning Technology AP PTY LTD	kolb USA LLC
6/150 Canterbury Road	410 Sunset, Unit C
NSW 2200 Bankstown	80501 Longmont – CO
Phone: +61 2 97900273	Phone 001- 970-532-5100
Mobile +61 4 19 809 805	Mobile: 001- 970-443-9233

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Hazard categories:
Serious eye damage/eye irritation: Eye Irrit. 2
Hazard Statements:
Causes serious eye irritation.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

1-aminopropan-2-ol; isopropanolamine

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Safety Data Sheet

according to UK REACH Regulation

MultiEx 3D-A3

Revision date: 04.01.2022

Product code: 090666-RM

Page 2 of 8

Precautionary statements

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Additional advice on labelling

UFI: WD40-Y0YK-H007-JWW0

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Cleaner on the basis of (according to EC Detergents Regulation 648/2004): phosphonic acide derivatives, glycols, alkalis

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			30-<40 %
	203-961-6	603-096-00-8		
	Eye Irrit. 2; H319			
78-96-6	1-aminopropan-2-ol; isopropanolamine			1-< 5 %
	201-162-7	603-082-00-1		
	Skin Corr. 1B; H314			
111109-77-4	dipropylene			1 - < 5 %
	404-640-5		01-0000015420-83	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	30-<40 %
	dermal: LD50 = 4120 mg/kg; oral: LD50 = 5660 mg/kg		
78-96-6	201-162-7	1-aminopropan-2-ol; isopropanolamine	1-< 5 %
	oral: LD50 = 2700 mg/kg		
111109-77-4	404-640-5	dipropylene	1 - < 5 %
	dermal: LD50 = >2000 mg/kg; oral: LD50 = 3300 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Medical examination necessary even merely on suspicion of intoxication.

Safety Data Sheet

according to UK REACH Regulation

MultiEx 3D-A3

Revision date: 04.01.2022

Product code: 090666-RM

Page 3 of 8

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Remove contaminated, saturated clothing immediately. Wash thoroughly the body (shower or bath). After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Gastric perforation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Dry extinguishing powder, Foam, Carbon dioxide (CO₂), Extinguishing powder

5.2. Special hazards arising from the substance or mixture

Non-flammable. Carbon dioxide (CO₂), Burning produces heavy smoke., Carbon monoxide

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Special danger of slipping by leaking/spilling product. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Prevent spread over a wide area (e.g. by containment or oil barriers). Retain contaminated washing water and dispose it.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

Safety Data Sheet

according to UK REACH Regulation

MultiEx 3D-A3

Revision date: 04.01.2022

Product code: 090666-RM

Page 4 of 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Personal protection equipment

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. wear hand gloves material: nitril or pvc

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: transparent

Safety Data Sheet

according to UK REACH Regulation

MultiEx 3D-A3

Revision date: 04.01.2022

Product code: 090666-RM

Page 5 of 8

Odour: neutral

Changes in the physical state

Melting point/freezing point: not determined

Boiling point or initial boiling point and boiling range: > 100 °C

Flash point: (see also 9.2) °C

Flammability

Solid/liquid: not applicable

Gas: not applicable

Lower explosion limits: not determined

Upper explosion limits: not determined

Self-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

pH-Value (at 20 °C): 10,4

Viscosity / dynamic:
(at 20 °C) 28 mPa·s

Water solubility: full soluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: not determined

Density (at 20 °C): 1,02 g/cm³

Relative vapour density: not determined

9.2. Other information**Information with regard to physical hazard classes**

Oxidizing properties

not measurable

Other safety characteristics

Solid content: not determined

Evaporation rate: not determined

Further Information

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

Chemical stability

10.3. Possibility of hazardous reactions

May cause strong formation of hydrogen by contact with amphoteric metals (e.g. alumina, lead, zinc) - danger of explosion.

10.4. Conditions to avoid

none

Safety Data Sheet

according to UK REACH Regulation

MultiEx 3D-A3

Revision date: 04.01.2022

Product code: 090666-RM

Page 6 of 8

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

not known

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	oral	LD50 mg/kg	5660	Rat		
	dermal	LD50 mg/kg	4120	Rabbit		
78-96-6	1-aminopropan-2-ol; isopropanolamine					
	oral	LD50 mg/kg	2700	Rat		
111109-77-4	dipropylene					
	oral	LD50 mg/kg	3300	Ratte		
	dermal	LD50 mg/kg	>2000	kaninchen		

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	Acute algae toxicity	ErC50 mg/l	> 100		Scenedesmus sp.	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	
78-96-6	1-aminopropan-2-ol; isopropanolamine					
	Acute fish toxicity	LC50 mg/l	220 - 460	96 h	Leuciscus idus	IUCLID
	Acute crustacea toxicity	EC50 mg/l	108,8	48 h	Daphnia	IUCLID
111109-77-4	dipropylene					
	Acute fish toxicity	LC50 mg/l	>100	96 h		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h		

12.2. Persistence and degradability

Safety Data Sheet

according to UK REACH Regulation

MultiEx 3D-A3

Revision date: 04.01.2022

Product code: 090666-RM

Page 7 of 8

The product has not been tested.

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
111109-77-4	dipropylene				
	Zahn-Wellens-Test (Methode C.9)		25%	28	
	schwer biologisch abbaubar				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	0,56 (25°C)
78-96-6	1-aminopropan-2-ol; isopropanolamine	-0,96
111109-77-4	dipropylene	0,42

BCF

CAS No	Chemical name	BCF	Species	Source
111109-77-4	dipropylene	4		

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Safety Data Sheet

according to UK REACH Regulation

MultiEx 3D-A3

Revision date: 04.01.2022

Product code: 090666-RM

Page 8 of 8

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55

2010/75/EU (VOC): 4,8 % (48,96 g/l)

2004/42/EC (VOC): 43,3 % (441,66 g/l)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)