1 □□□□□□□□□□

□□□□□

MultiEx 3D-B1

□□□□□

MultiEx 3D-E14 BAW

□□□□□□□□□

□□□□□

P264	□□□□□...□□□□□□□□
P280	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
P302+P352	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
P321	□□□□□□□□□□□□□□□□□□□□...□□□□□□
P332+P313	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
P362+P364	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
P305+P351+P338	□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

CAS□□	□□□	ppm	mg/m□	□□/ml	□□
141-43-5	2-□□□□□□□□□; 2-Aminoethanol	3	7.5		□□□□

□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

□□□□:	□□□□□□□□□
□□□□□:	>50
□□□□□:	□□□□□□□□□
Zustandsänderung:	< 0 °C
□□□□: (□ 20 °C)	30 mPa·s

10 □□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□

□□

□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

11 □□□□□

□□□□□

□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

ATEmix □□□□

□□□□□□□□ (□□□) 36605,0 mg/kg; □□□□□□□□ (□□□) 36974,8 mg/kg; □□□□□□□□ (□□□□□ □□) 369,75 mg/l; □□□□□□□□ (□□□□□ □/□□□) 50,420 mg/l

CAS□□	□□□				
	□□□□□	□□□	□	□□□□□	□□
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether				
	□□□	LD50(50%□□□) 5660 mg/kg			
	□□□	LD50(50%□□□) 2746 mg/kg			
141-43-5	2-aminoethanol; ethanolamine				
	□□□	LD50(50%□□□) 1089 mg/kg	□□□		
	□□□	LD50(50%□□□) 2504 mg/kg	□□□□□		
	□□□□□ □□	□□□□□□□□ 11 mg/l			
	□□□□□ □/□□□	□□□□□□□□ 1,5 mg/l			
37971-36-1	Phosphonobutantricarbonacid				
	□□□	LD50(50%□□□) 6500 mg/kg	□□□		
	□□□	LD50(50%□□□) 4000 mg/kg	□□□		

□□□□□□□□□

□□□□□

□□□□□□

□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□/□□□□/□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□EC□□No 1272/2008 [CLP]□□□□□□□□□□□□□□□□□□□□□□

12 □□□□□□□

□□

□□□□□□□□□□□□: □□□□□□

CAS□□	□□□					
	□□□□	□□□	[h] | [d]	□	□□□□□	□□
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	□□□□□	LC50(50%□□□□) 1300 mg/l	96 h			
	□□□□	ErC50 100 mg/l				
	□□□□□□	EC50 100 mg/l	48 h			
141-43-5	2-aminoethanol; ethanolamine					
	□□□□□	LC50(50%□□□□) 349 mg/l	96 h			
	□□□□	ErC50 2,8 mg/l	72 h			
	□□□□□□	EC50 65 mg/l	48 h			
37971-36-1	Phosphonobutantricarbonacid					
	□□□□□	LC50(50%□□□□) 1042 mg/l	96 h			
	□□□□	ErC50 611 mg/l	72 h			
	□□□□□□	EC50 1071 mg/l	48 h			

□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□: No dangerous good in sense of this transport regulation.

□□□□□□□□□: No dangerous good in sense of this transport regulation.

□□□□□□□□

□□□□□□□□□: □□□

□□□□□□□□□□□□□□□□

□□□□□□□□□

MARPOL 73/78 □□□□□ II □□□ IBC Code □□□□□□□□□□□□

□□□

15 □□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□/□□

□□□□□

□□□□□□: 850/2004/EC, 79/117/EEC, 689/2008/EC

□□□□□□

□□□□: □□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□: 1 - □□□□□□□□□

16 □□□□□□

□□□□□□□□□□

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

GHS□□□□□□□□□□□□□□□□□□□□□□□□□□

□□	□□□□
Skin Irrit. 2; H315	□□□□
Eye Irrit. 2; H319	□□□□

H□□□EUH□□□□□□(□□□□□□□□)

H302 □□□□□□□□□
H312 □□□□□□□□□□□□
H314 □□□□□□□□□□□□□□□□
H315 □□□□□
H318 □□□□□□□□□
H319 □□□□□□
H332 □□□□□□□□□
H335 □□□□□□□□□□□□□

□□□□□

□□□□□□□□□□□□□□□□□□□