

## Safety Data Sheet

according to UK REACH Regulation

### MultiEx SC

Revision date: 29.11.2018

Product code: 090677-RM

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

MultiEx SC

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Electronics cleaner for spray and immersion plants

### 1.3. Details of the supplier of the safety data sheet

Company name:	kolb Cleaning Technology GmbH	
Street:	Karl-Arnold-Str. 12	
Place:	D-47877 Willich	
Telephone:	+49-2154-947938	Telefax: +49-2154-947947
e-mail:	info@kolb-ct.com	
Contact person:	Herr Linker	Telephone: +49-2324-97980
e-mail:	christian.linker@kolb-ct.com	
Internet:	www.kolb-ct.com	
Responsible Department:	Labor/ QS	

### 1.4. Emergency telephone

#### number:

+49/ (0) 23 24/ 979817 (EU)  
+61 4 19 809 805 (Australia)  
+1 970 443 9233 (USA)  
Schweiz: 145

### Further Information

Australia:	USA:
kolb Cleaning Technology AP PTY LTD	kolb USA LLC
6/150 Canterbury Road	410 Sunset, Unit C
NSW 2200 Bankstown	80501 Longmont – CO
Phone: +61 2 97900273	Phone 001- 970-532-5100
Mobile +61 4 19 809 805	Mobile: 001- 970-443-9233

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Hazard categories:

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Harmful if swallowed.

Harmful in contact with skin.

Causes serious eye irritation.

Causes skin irritation.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

1-aminopropan-2-ol; isopropanolamine

Signal word: Warning

## Safety Data Sheet

according to UK REACH Regulation

### MultiEx SC

Revision date: 29.11.2018

Product code: 090677-RM

Page 2 of 10

#### Pictograms:



#### Hazard statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H315	Causes skin irritation.

#### Precautionary statements

P501	Dispose of contents/container to in accordance with local/regional/national/international regulations.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

#### Additional advice on labelling

UFI: 7910-S049-G00E-RMWP

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Cleaner for the electronics industry on the basis of (EG 648/2004 VO detergents): Alkyle propylene glycole, glycols

## Safety Data Sheet

according to UK REACH Regulation

### MultiEx SC

Revision date: 29.11.2018

Product code: 090677-RM

Page 3 of 10

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem			15 - < 30 %
	252-104-2		01-2119450011-60	
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve			5-<10 %
	203-905-0	603-014-00-0		
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H302 H315 H319			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			1 - < 5 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
78-96-6	1-aminopropan-2-ol; isopropanolamine			1-< 5 %
	201-162-7	603-082-00-1		
	Skin Corr. 1B; H314			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
34590-94-8	252-104-2	Dipropylene glycol monomethyl ether, Isomerengem	15 - < 30 %
	dermal: LD50 = 19020 mg/kg; oral: LD50 = 5130 mg/kg		
111-76-2	203-905-0	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve	5-<10 % %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE 1200 mg/kg		
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	1 - < 5 %
	dermal: LD50 = 12800 mg/kg; oral: LD50 = 5050 mg/kg		
78-96-6	201-162-7	1-aminopropan-2-ol; isopropanolamine	1-< 5 % %
	oral: LD50 = 2700 mg/kg		

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### After inhalation

Provide fresh air.

##### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

##### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

##### After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Safety Data Sheet

according to UK REACH Regulation

### MultiEx SC

Revision date: 29.11.2018

Product code: 090677-RM

Page 4 of 10

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

## Safety Data Sheet

according to UK REACH Regulation

### MultiEx SC

Revision date: 29.11.2018

Product code: 090677-RM

Page 5 of 10

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

#### Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol	urine	Post shift

#### 8.2. Exposure controls

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Wear suitable protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid  
 Colour: colourless  
 Odour: specific

##### Changes in the physical state

Melting point/freezing point: not determined  
 Boiling point or initial boiling point and boiling range: not determined  
 Flash point: not determined

##### Flammability

Solid/liquid: not applicable  
 Gas: not applicable  
 Lower explosion limits: not determined  
 Upper explosion limits: not determined

##### Self-ignition temperature

Solid: not applicable  
 Gas: not applicable

## Safety Data Sheet

according to UK REACH Regulation

### MultiEx SC

Revision date: 29.11.2018

Product code: 090677-RM

Page 6 of 10

Decomposition temperature:	not determined
pH-Value:	not measurable
Viscosity / dynamic: (at 20 °C)	22 mPa·s
Water solubility:	full soluble in water.
<b>Solubility in other solvents</b> not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	not determined
Density (at 20 °C):	1,00 g/cm <sup>3</sup>
Relative vapour density:	not determined

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

Oxidizing properties  
Not oxidising.

##### **Other safety characteristics**

Solid content: not determined  
Evaporation rate: not determined

##### **Further Information**

### **SECTION 10: Stability and reactivity**

#### **10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

#### **10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

#### **10.3. Possibility of hazardous reactions**

No known hazardous reactions.

#### **10.4. Conditions to avoid**

none

#### **10.5. Incompatible materials**

No information available.

#### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in GB CLP Regulation**

##### **Acute toxicity**

Harmful if swallowed.  
Harmful in contact with skin.

## Safety Data Sheet

according to UK REACH Regulation

### MultiEx SC

Revision date: 29.11.2018

Product code: 090677-RM

Page 7 of 10

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem				
	oral	LD50 5130 mg/kg	Ratte	AMA	
	dermal	LD50 19020 mg/kg	Ratte		
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve				
	oral	ATE 1200 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 5050 mg/kg	Rat		
	dermal	LD50 12800 mg/kg	Rabbit		
78-96-6	1-aminopropan-2-ol; isopropanolamine				
	oral	LD50 2700 mg/kg	Rat		

#### Irritation and corrosivity

Causes serious eye irritation.

Causes skin irritation.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

## Safety Data Sheet

according to UK REACH Regulation

### MultiEx SC

Revision date: 29.11.2018

Product code: 090677-RM

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem					
	Acute fish toxicity	LC50 >10000 mg/l	96 h	Pimephales promelas (Amerikan. Elritze)		
	Acute algae toxicity	ErC50 >969 mg/l	96 h	Alge		
	Acute crustacea toxicity	EC50 1919 mg/l	48 h	Daphnia magna (Wasserfloh)		
	Crustacea toxicity	NOEC 12 mg/l		Daphnia magna (Wasserfloh)		
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve					
	Acute fish toxicity	LC50 1490 mg/l	96 h	Lepomis macrochirus		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute fish toxicity	LC50 9640 mg/l	96 h			
	Acute crustacea toxicity	EC50 1400 mg/l	48 h			
78-96-6	1-aminopropan-2-ol; isopropanolamine					
	Acute fish toxicity	LC50 220 - 460 mg/l	96 h	Leuciscus idus	IUCLID	
	Acute crustacea toxicity	EC50 108,8 mg/l	48 h	Daphnia	IUCLID	

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem				
	OECD 301E	>70%	28		
	biologisch abbaubar				

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve	0,81 (25°C)
78-96-6	1-aminopropan-2-ol; isopropanolamine	-0,96

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.



## Safety Data Sheet

according to UK REACH Regulation

### MultiEx SC

Revision date: 29.11.2018

Product code: 090677-RM

Page 9 of 10

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### **List of Wastes Code - residues/unused products**

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors; hazardous waste

##### **Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

#### **Inland waterways transport (ADN)**

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

#### **Air transport (ICAO-TI/IATA-DGR)**

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): 12,5 % (125 g/l)

2004/42/EC (VOC): 12,5 % (125 g/l)

##### **Additional information**

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

##### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

## Safety Data Sheet

according to UK REACH Regulation

### MultiEx SC

Revision date: 29.11.2018

Product code: 090677-RM

Page 10 of 10

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*