

according to UK REACH Regulation

OF1 Ofenreinigungsgel

Revision date: 04.01.2024 Product code: 091604-RM Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

OF1 Ofenreinigungsgel

UFI: T1V2-10J0-H006-THFM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Professional cleaners for industrial use

1.3. Details of the supplier of the safety data sheet

Company name: kolb Cleaning Technology GmbH

Street: Karl-Arnold-Str. 12
Place: D-47877 Willich

Telephone: +49-2154-947938 Telefax: +49-2154-947947

e-mail: info@kolb-ct.com

Contact person: Christian Linker Telephone: +49-2324-97980

e-mail: christian.linker@kolb-ct.com

Internet: www.kolb-ct.com

Responsible Department: Labor/ QS

 1.4. Emergency telephone number:
 +49/ (0) 23 24/ 979817 (EU)

 +61 4 19 809 805 (Australia)

 +49/ (0) 23 24/ 979817 (EU)

 +61 4 19 809 805 (Australia)

+1 970 443 9233 (USA)

Schweiz: 145

Further Information

Australia: USA:

 kolb Cleaning Technology AP PTY LTD
 kolb USA LLC

 6/150 Canterbury Road
 410 Sunset, Unit C

 NSW 2200 Bankstown
 80501 Longmont – CO

 Phone: +61 2 97900273
 Phone 001- 970-532-5100

 Mobile: +61 4 19 809 805
 Mobile: 001- 970-443-9233

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

water-based detergent



according to UK REACH Regulation

OF1 Ofenreinigungsgel

Revision date: 04.01.2024 Product code: 091604-RM Page 2 of 9

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation)					
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	203-961-6	603-096-00-8				
	Eye Irrit. 2; H319		•			
68439-51-0	Alcohols, C12-14, ethoxylated propoxylated					
	931-986-9					
	Aquatic Chronic 3; H412					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	Limits, M-factors and ATE		
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	1 - < 5 %	
	dermal: LD50 = 2746 mg/kg; oral: LD50 = 5660 mg/kg			
68439-51-0	931-986-9	Alcohols, C12-14, ethoxylated propoxylated	1 - < 5 %	
oral: LD50 = >2000 mg/kg				

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants, perfumes (Linalool).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



according to UK REACH Regulation

OF1 Ofenreinigungsgel

Revision date: 04.01.2024 Product code: 091604-RM Page 3 of 9

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Professional cleaners for industrial use

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
128-37-0	2,6-Di-tert-butyl-p-cresol	-	10		TWA (8 h)	WEL



according to UK REACH Regulation

OF1 Ofenreinigungsgel

Revision date: 04.01.2024 Product code: 091604-RM Page 4 of 9

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: specific

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

100 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: > 100 °C Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value (at 20 °C): 10.9 Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

1,026 g/cm³

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined Viscosity / dynamic: 2400 mPa·s

(at 20 °C)

Further Information

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)



according to UK REACH Regulation

OF1 Ofenreinigungsgel

Revision date: 04.01.2024 Product code: 091604-RM Page 5 of 9

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (inhalation vapour) 12549,02 mg/l

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether							
	oral	LD50 5660 mg/kg						
		LD50 2746 mg/kg						
68439-51-0	Alcohols, C12-14, ethoxylated propoxylated							
		LD50 >2000 mg/kg	Ratte					

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

There are no other hazards that require special attention.



according to UK REACH Regulation

OF1 Ofenreinigungsgel

Revision date: 04.01.2024 Product code: 091604-RM Page 6 of 9

Further information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

	Toduct is flot. Ecoloxic.								
CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
112-34-5	2-(2-butoxyethoxy)ethano	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether							
	Acute fish toxicity	LC50 mg/l	1300	96 h					
	Acute algae toxicity	ErC50	100 mg/l						
	Acute crustacea toxicity	EC50	100 mg/l	48 h					
68439-51-0	Alcohols, C12-14, ethoxylated propoxylated								
	Acute fish toxicity	LC50 mg/l	>1-10		Poecilia reticulata (Guppy)	OECD 203			
	Acute algae toxicity	ErC50 mg/l	>1-10		Desmodesmus subspicatus (Grünalge)	OECD 201			
	Acute crustacea toxicity	EC50 mg/l	>1-10		Daphnia magna (Großer Wasserfloh)	OECD 202			

12.2. Persistence and degradability

The product has not been tested.

04041	200 No.							
CAS No	Chemical name							
	Method	V	'alue	d	Source			
	Evaluation	-						
68439-51-0	Alcohols, C12-14, ethoxylated propoxylated							
		>(60%	28	OECD TG 301 B			
	leicht biologisch abbaubar	-						
		>7	70%	28	OECD TG 301 A			
	leicht biologisch abbaubar							

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



according to UK REACH Regulation

OF1 Ofenreinigungsgel

Revision date: 04.01.2024 Product code: 091604-RM Page 7 of 9

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous

good in sense of these transport regulations.

14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 55, Entry 75

2010/75/EU (VOC): 0,091 % (0,934 g/l) 2004/42/EC (VOC): 10,709 % (109,872 g/l)

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information



according to UK REACH Regulation

OF1 Ofenreinigungsgel

Revision date: 04.01.2024 Product code: 091604-RM Page 8 of 9

Regulation (EC) No. 648/2004 [Detergents regulation]. To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects. EUH210 Safety data sheet available on request.



according to UK REACH Regulation

OF1 Ofenreinigungsgel

Revision date: 04.01.2024 Product code: 091604-RM Page 9 of 9

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)