



according to UK REACH Regulation

PowerBooster LPA

Revision date: 04.01.2024

Product code: 090606-CN

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product group:

UFI:

PowerBooster LPA

Zulieferprodukt 4DV2-209K-R005-FVSV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Professional cleaners for industrial use

1.3. Details of the supplier of the safety data sheet

Company name:	kolb Cleaning Technology GmbH	
Street:	Karl-Arnold-Str. 12	
Place:	D-47877 Willich	
Telephone:	+49-2154-947938	Telefax:+49-2154-947947
e-mail:	info@kolb-ct.com	
Contact person:	Christian Linker	Telephone: +49-2324-97980
e-mail:	christian.linker@kolb-ct.com	
Internet:	www.kolb-ct.com	
Responsible Department:	Labor/ QS	
1.4. Emergency telephone	+49/ (0) 23 24/ 979817 (EU)	
number:	+61 4 19 809 805 (Australia)	
	+1 970 443 9233 (USA)	
	Schweiz: 145	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Pictograms:

GB CLP Regulation

Signal word:



Warning

Hazard statements

H319

Causes serious eye irritation.

Precautionary statements

P501	Dispose of contents/container to in accordance with local/regional/national/international regulations.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.



according to UK REACH Regulation

PowerBooster LPA

Revision date: 04.01.2024

Product code: 090606-CN

Page 2 of 7

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation	Classification (GB CLP Regulation)			
110-97-4	1,1'-iminodipropan-2-ol; di-isoprop	1,1'-iminodipropan-2-ol; di-isopropanolamine			
	203-820-9	603-083-00-7			
	Eye Irrit. 2; H319				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE CAS No EC No Chemical name Quantity Specific Conc. Limits, M-factors and ATE 110-97-4 203-820-9 1,1'-iminodipropan-2-ol; di-isopropanolamine 50 - < 75 %</td> dermal: LD50 = 8000 mg/kg 110-97-9 110-97-9 110-97-9 110-97-9 110-97-9

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.





according to UK REACH Regulation

PowerBooster LPA

Revision date: 04.01.2024

Product code: 090606-CN

Page 3 of 7

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Professional cleaners for industrial use

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.





according to UK REACH Regulation

PowerBooster LPA

Revision date: 04.01.2024

Product code: 090606-CN

Page 4 of 7

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. NBR: AcryInitril-Butadien-Kautschuk = 0,4 mm >480 min. (Permeationslevel: 6) CR: Chloropren (Chlorbutadien)-Kautschuk = 0,5 mm >480 min. (Permeationslevel: 6) PVC: Polyvinylchlorid = 0,7 mm >480 min. (Permeationslevel: 6)

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	transparent - yellowish
Odour:	Amines
Melting point/freezing point:	< 10 °C
Boiling point or initial boiling point and	100 °C
boiling range:	
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not relevant
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	11
Water solubility:	easily soluble
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	n-Octan/Wasser (log KOW) -0,81 (20°C)
Vapour pressure:	not determined
Density (at 20 °C):	1,01 g/cm ³
Relative vapour density:	not determined
9.2. Other information	
Information with regard to physical haza	ard classes
Explosive properties	
The product is not: Explosive.	
Oxidizing properties	
Oxidizing properties	
Oxidizing properties The product is not: oxidising.	not determined
Oxidizing properties The product is not: oxidising. Other safety characteristics Evaporation rate: Solid content:	not determined
Oxidizing properties The product is not: oxidising. Other safety characteristics Evaporation rate:	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.



Safety Data Sheet

according to UK REACH Regulation

PowerBooster LPA

Revision date: 04.01.2024

Product code: 090606-CN

Page 5 of 7

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
110-97-4	1,1'-iminodipropan-2-ol; d	i-isopropanolamine	-		
	dermal	LD50 8000 mg/kg			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

There are no other hazards that require special attention.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



according to UK REACH Regulation

PowerBooster LPA

Revision date: 04.01.2024

Product code: 090606-CN

Page 6 of 7

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Sou	urce	Method
110-97-4	1,1'-iminodipropan-2-ol; d	i-isopropanc	olamine					
	Acute fish toxicity	LC50 mg/l	1466	96 h				
	Acute algae toxicity	ErC50	339 mg/l	72 h				
	Acute crustacea toxicity	EC50 mg/l	277,7	48 h				

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

National regulatory information



according to UK REACH Regulation

Made In Germany				
	PowerBooster LPA			
Revision date: 04.01.2024	Product code: 090606-CN	Page 7 of 7		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile	e		
	work protection guideline' (94/33/EC).			
Water hazard class (D):	1 - slightly hazardous to water			
15.2. Chemical safety assessment				
	or substances in this mixture were not carried out.			
SECTION 16: Other information				
Abbreviations and acronyms				
ADR: Accord européen sur le tr	ansport des marchandises dangereuses par Route			
	ing the International Carriage of Dangerous Goods by Road)			
IMDG: International Maritime C	•			
IATA: International Air Transpo				
	stem of Classification and Labelling of Chemicals			
EINECS: European Inventory of Existing Commercial Chemical Substances				
ELINCS: European List of Notified Chemical Substances				
CAS: Chemical Abstracts Service				
LC50: Lethal concentration, 50 ⁴	//o			
LD50: Lethal dose, 50%				
CLP: Classification, labelling ar				
U	on and Authorization of Chemicals			
	stem of Classification, Labelling and Packaging of Chemicals			
	UN: United Nations			
DNEL: Derived No Effect Level				
DMEL: Derived Minimal Effect I				
PNEC: Predicted No Effect Concentration				
ATE: Acute toxicity estimate				
LL50: Lethal loading, 50%				
EL50: Effect loading, 50%				
EC50: Effective Concentration 50%				
	ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration			
BCF: Bio-concentration factor				
_	in taxic			
PBT: persistent, bioaccumulativ				
vPvB: very persistent, very bioaccumulative MARPOL : International Convention for the Provention of Marine Pollution from Shins				
MARPOL: International Convention for the Prevention of Marine Pollution from Ships				

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)