

according to Regulation (EC) No 1907/2006 (2020/878)

## **PowerBooster TPA**

Revision date: 04.01.2024 Product code: 091608-CN Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

PowerBooster TPA

#### Further trade names

vormals/ old name: Alk-K, pH Steiger

UFI: GJV2-20PD-C005-SJY0

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Electronics cleaner for spray and immersion plants

# 1.3. Details of the supplier of the safety data sheet

Company name: kolb Cleaning Technology GmbH

Street: Karl-Arnold-Str. 12
Place: D-47877 Willich

Telephone: +49-2154-947938 Telefax: +49-2154-947947

e-mail: info@kolb-ct.com

Contact person: Christian Linker Telephone: +49-2324-97980

e-mail: christian.linker@kolb-ct.com

Internet: www.kolb-ct.com

Responsible Department: Labor/ QS

 1.4. Emergency telephone
 +49/ (0) 23 24/ 979817 (EU)

 number:
 +61 4 19 809 805 (Australia)

 +1 970 443 9233 (USA)

Schweiz: 145

# **Further Information**

Australia: USA:

 kolb Cleaning Technology AP PTY LTD
 kolb USA LLC

 6/150 Canterbury Road
 410 Sunset, Unit C

 NSW 2200 Bankstown
 80501 Longmont – CO

 Phone: +61 2 97900273
 Phone 001- 970-532-5100

 Mobile: +61 4 19 809 805
 Mobile: 001- 970-443-9233

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

## Regulation (EC) No 1272/2008

# Hazard components for labelling

potassium hydroxide; caustic potash

Signal word: Danger



according to Regulation (EC) No 1907/2006 (2020/878)

## **PowerBooster TPA**

Revision date: 04.01.2024 Product code: 091608-CN Page 2 of 9

#### Pictograms:





#### **Hazard statements**

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

#### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1310-58-3	potassium hydroxide; caustic potash			30 - < 50 %
	215-181-3	019-002-00-8		
	Acute Tox. 4, Skin Corr. 1A; H302 H314			

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-58-3	215-181-3	potassium hydroxide; caustic potash	30 - < 50 %
	oral: LD50 = 388 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

#### After inhalation

Provide fresh air. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated



according to Regulation (EC) No 1907/2006 (2020/878)

### **PowerBooster TPA**

Revision date: 04.01.2024 Product code: 091608-CN Page 3 of 9

clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.



according to Regulation (EC) No 1907/2006 (2020/878)

### **PowerBooster TPA**

Revision date: 04.01.2024 Product code: 091608-CN Page 4 of 9

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Unsuitable container/equipment material: Metal.

#### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	

# 8.2. Exposure controls

# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Individual protection measures, such as personal protective equipment

# Eye/face protection

Suitable eye protection: goggles.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Use of protective clothing.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: transparent
Odour: neutral

Melting point/freezing point: not determined



according to Regulation (EC) No 1907/2006 (2020/878)

# **PowerBooster TPA**

Revision date: 04.01.2024 Product code: 091608-CN Page 5 of 9

easily soluble

Boiling point or initial boiling point and not determined

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

not determined

Upper explosion limits:

not determined

Flash point:

not determined

Auto-ignition temperature:

not determined

Decomposition temperature:

not determined

pH-Value (at 20 °C):

14

Water solubility: (at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

(at 20 °C)

Density (at 20 °C): 1,11 g/cm³
Relative vapour density: not determined

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

# Other safety characteristics

Evaporation rate: not determined Solid content: not determined

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals. Possibility of hazardous reactions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

## 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

Metal. Keep away from: Acid, Oxidizing agent, Peroxides.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Harmful if swallowed.

## **ATEmix calculated**

ATE (oral) 862,2 mg/kg



according to Regulation (EC) No 1907/2006 (2020/878)

# Product and a 004 000 Ch

Revision date: 04.01.2024 Product code: 091608-CN Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-58-3	potassium hydroxide; caustic potash				
	oral	LD50 388 mg/kg			

## Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

There are no other hazards that require special attention.

## Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

## 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

# 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006 (2020/878)

# **PowerBooster TPA**

Revision date: 04.01.2024 Product code: 091608-CN Page 7 of 9

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## List of Wastes Code - residues/unused products

060204 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the MFSU of bases; sodium

and potassium hydroxide; hazardous waste

## Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number: UN 1814

14.2. UN proper shipping name: POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 8 Classification code: C5 5 L Limited quantity: Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: F

## Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1814

14.2. UN proper shipping name: POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:E1

# Marine transport (IMDG)

14.1. UN number or ID number: UN 1814

14.2. UN proper shipping name: POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, S-B

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1814

14.2. UN proper shipping name: POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 LPassenger LQ:Y841Excepted quantity:E1

IATA-packing instructions - Passenger: 852 IATA-max. quantity - Passenger: 5 L





according to Regulation (EC) No 1907/2006 (2020/878)

## **PowerBooster TPA**

Revision date: 04.01.2024 Product code: 091608-CN Page 8 of 9

IATA-packing instructions - Cargo: 856 IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **Additional information**

Regulation (EC) No. 648/2004 [Detergents regulation]. To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

## National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 


DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration





according to Regulation (EC) No 1907/2006 (2020/878)

## **PowerBooster TPA**

Revision date: 04.01.2024 Product code: 091608-CN Page 9 of 9

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H302	Calculation method
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

# Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)