

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PowerBooster MPA

Revision date: 25.01.2018

Product code: 090605-CN

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PowerBooster MPA

Further trade names

vormals/ old name: Alk M, Alkalisator M

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|-------------------------------|---------------------------|
| Company name: | kolb Cleaning Technology GmbH | |
| Street: | Karl-Arnold-Str. 12 | |
| Place: | D-47877 Willich | |
| Telephone: | +49-2154-947938 | Telefax: +49-2154-947947 |
| e-mail: | info@kolb-ct.com | |
| Contact person: | Herr Linker | Telephone: +49-2324-97980 |
| e-mail: | christian.linker@kolb-ct.com | |
| Internet: | www.kolb-ct.com | |
| Responsible Department: | Labor/ QS | |

1.4. Emergency telephone

number: +49/ (0) 23 24/ 979817 (EU)
+61 4 19 809 805 (Australia)
+1 970 443 9233 (USA)
Schweiz: 145

Further Information

| | |
|-------------------------------------|---------------------------|
| Australia: | USA: |
| kolb Cleaning Technology AP PTY LTD | kolb USA LLC |
| 6/150 Canterbury Road | 410 Sunset, Unit C |
| NSW 2200 Bankstown | 80501 Longmont – CO |
| Phone: +61 2 97900273 | Phone 001- 970-532-5100 |
| Mobile +61 4 19 809 805 | Mobile: 001- 970-443-9233 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Harmful if swallowed, in contact with skin or if inhaled.

May cause respiratory irritation.

Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

2-aminoethanol, ethanolamine

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PowerBooster MPA

Revision date: 25.01.2018

Product code: 090605-CN

Page 2 of 9

Pictograms:



Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.
 H335 May cause respiratory irritation.
 H314 Causes severe skin burns and eye damage.

Precautionary statements

P270 Do not eat, drink or smoke when using this product.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 P330 Rinse mouth.
 P331 Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P312 Call a POISON CENTER/doctor if you feel unwell.
 P363 Wash contaminated clothing before reuse.
 P364 And wash it before reuse.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P310 Immediately call a POISON CENTER/doctor.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | Quantity |
|----------|--|----------|
| | EC No | |
| | Index No | |
| | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | |
| 141-43-5 | 2-aminoethanol, ethanolamine | 50-85 % |
| | 205-483-3 | |
| | 603-030-00-8 | |
| | Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B; H332 H312 H302 H314 | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PowerBooster MPA

Revision date: 25.01.2018

Product code: 090605-CN

Page 3 of 9

apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PowerBooster MPA

Revision date: 25.01.2018

Product code: 090605-CN

Page 4 of 9

Advice on storage compatibility

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|----------|----------------|-----|-------------------|-----------|---------------|--------|
| 141-43-5 | 2-Aminoethanol | 1 | 2.5 | | TWA (8 h) | WEL |
| | | 3 | 7.6 | | STEL (15 min) | WEL |

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
 Colour: colourless - yellow
 Odour: Amines

pH-Value (at 20 °C): 12,5

Changes in the physical state

Melting point: not determined

Initial boiling point and boiling range: 110-135 °C

Flash point: [see also 9.2] °C

Flammability

Solid: not applicable

Gas: not applicable

Lower explosion limits: not determined

Test method

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PowerBooster MPA

Revision date: 25.01.2018

Product code: 090605-CN

Page 5 of 9

| | |
|-------------------------------------|-----------------------|
| Upper explosion limits: | not determined |
| Ignition temperature: | > 300 °C DIN 51794 |
| Auto-ignition temperature | |
| Solid: | not applicable |
| Gas: | not applicable |
| Decomposition temperature: | not determined |
| Oxidizing properties | |
| Not oxidising. | |
| Vapour pressure: | 10-20 hPa |
| Density (at 20 °C): | 1,0 g/cm ³ |
| Water solubility: | easily soluble |
| Solubility in other solvents | |
| not determined | |
| Partition coefficient: | not determined |
| Viscosity / dynamic: (at 20 °C) | > 30 mPa·s |
| Vapour density: | not determined |
| Evaporation rate: | not determined |

9.2. Other information

| | |
|--|----------------|
| Solid content: | not determined |
| not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV) | |

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

ATEmix calculated

ATE (oral) 1782,4 mg/kg; ATE (dermal) 1205,9 mg/kg; ATE (inhalative vapour) 12,94 mg/l; ATE (inhalative aerosol) 1,765 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PowerBooster MPA

Revision date: 25.01.2018

Product code: 090605-CN

Page 6 of 9

Acute toxicity

| CAS No | Chemical name | | | | | |
|----------|------------------------------|---------------|----------|---------|--------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 141-43-5 | 2-aminoethanol, ethanolamine | | | | | |
| | oral | LD50 mg/kg | 1515 | Rat | | |
| | dermal | LD50 mg/kg | 1025 | Rabbit | IUCLID | |
| | inhalative vapour | ATE | 11 mg/l | | | |
| | inhalative aerosol | ATE | 1,5 mg/l | | | |

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

| CAS No | Chemical name | | | | | |
|----------|------------------------------|-------|-----------|---------|-------------------------|--------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 141-43-5 | 2-aminoethanol, ethanolamine | | | | | |
| | Acute fish toxicity | LC50 | 150 mg/l | 96 h | Onchorhynchus mykiss | IUCLID |
| | Acute algae toxicity | ErC50 | 22 mg/l | 72 h | Desmodesmus subspicatus | |
| | Acute crustacea toxicity | EC50 | 65 mg/l | 48 h | Daphnia magna | |

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|------------------------------|--------------|
| 141-43-5 | 2-aminoethanol, ethanolamine | -1,91 (25°C) |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PowerBooster MPA

Revision date: 25.01.2018

Product code: 090605-CN

Page 7 of 9

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|-----------------------|
| 14.1. UN number: | UN 2491 |
| 14.2. UN proper shipping name: | ETHANOLAMINE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Classification code: | C7 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |

Inland waterways transport (ADN)

| | |
|--|-----------------------|
| 14.1. UN number: | UN 2491 |
| 14.2. UN proper shipping name: | ETHANOLAMINE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Classification code: | C7 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |

Marine transport (IMDG)

| | |
|--|-----------------------|
| 14.1. UN number: | UN 2491 |
| 14.2. UN proper shipping name: | ETHANOLAMINE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Special Provisions: | 223 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| EmS: | F-A, S-B |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|-----------------------|
| 14.1. UN number: | UN 2491 |
| 14.2. UN proper shipping name: | ETHANOLAMINE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Special Provisions: | A3 A803 |
| Limited quantity Passenger: | 1 L |
| Passenger LQ: | Y841 |
| Excepted quantity: | E1 |
| IATA-packing instructions - Passenger: | 852 |
| IATA-max. quantity - Passenger: | 5 L |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PowerBooster MPA

Revision date: 25.01.2018

Product code: 090605-CN

Page 8 of 9

IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 85 % (850 g/l)

2004/42/EC (VOC): 85 % (850 g/l)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be



CLEANING TECHNOLOGY
Made in Germany

kolb Cleaning Technology GmbH

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PowerBooster MPA

Revision date: 25.01.2018

Product code: 090605-CN

Page 9 of 9

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)