

## Safety Data Sheet

according to UK REACH Regulation

### RemoCoat Basic

Revision date: 16.01.2024

Product code: 090682-RM

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

RemoCoat Basic

UFI: R5W2-M0H5-G00M-DY1F

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Electronics cleaner for spray and immersion plants

### 1.3. Details of the supplier of the safety data sheet

Company name:	kolb Cleaning Technology GmbH	
Street:	Karl-Arnold-Str. 12	
Place:	D-47877 Willich	
Telephone:	+49-2154-947938	Telefax: +49-2154-947947
e-mail:	info@kolb-ct.com	
Contact person:	Christian Linker	Telephone: +49-2324-97980
e-mail:	christian.linker@kolb-ct.com	
Internet:	www.kolb-ct.com	
Responsible Department:	Labor/ QS	

### 1.4. Emergency telephone number:

+49/ (0) 23 24/ 979817 (EU)  
+61 4 19 809 805 (Australia)  
+1 970 443 9233 (USA)  
Schweiz: 145

### Further Information

Australia:	USA:
kolb Cleaning Technology AP PTY LTD	kolb USA LLC
6/150 Canterbury Road	410 Sunset, Unit C
NSW 2200 Bankstown	80501 Longmont – CO
Phone: +61 2 97900273	Phone 001- 970-532-5100
Mobile +61 4 19 809 805	Mobile: 001- 970-443-9233

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Skin Corr. 1; H314  
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

UFI: 4H00-60WQ-Q00Y-TJP3

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

γ-butyrolactones  
1-aminopropan-2-ol; isopropanolamine  
potassium hydroxide; caustic potash

Signal word: Danger

Pictograms:



# Safety Data Sheet

according to UK REACH Regulation

## RemoCoat Basic

Revision date: 16.01.2024

Product code: 090682-RM

Page 2 of 10

### Hazard statements

H314 Causes severe skin burns and eye damage.

### Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash Hände thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			50 - < 75 %
	203-961-6	603-096-00-8		
	Eye Irrit. 2; H319			
96-48-0	γ-butyrolactones			15 - < 30 %
	202-509-5			
	Acute Tox. 4, Eye Dam. 1, STOT SE 3; H302 H318 H336			
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem			5 - < 15 %
	252-104-2		01-2119450011-60	
78-96-6	1-aminopropan-2-ol; isopropanolamine			1 - < 5 %
	201-162-7	603-082-00-1		
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H312 H314 H318			
1310-58-3	potassium hydroxide; caustic potash			0.1 - < 1 %
	215-181-3	019-002-00-8		
	Acute Tox. 4, Skin Corr. 1A; H302 H314			

Full text of H and EUH statements: see section 16.

# Safety Data Sheet

according to UK REACH Regulation

## RemoCoat Basic

Revision date: 16.01.2024

Product code: 090682-RM

Page 3 of 10

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	50 - < 75 %
		dermal: LD50 = 2746 mg/kg; oral: LD50 = 5660 mg/kg	
96-48-0	202-509-5	γ-butyrolactones	15 - < 30 %
		inhalation: LC50 = 5,1 mg/l (vapours); oral: LD50 = 1582 mg/kg	
34590-94-8	252-104-2	Dipropylene glycol monomethyl ether, Isomerengem	5 - < 15 %
		dermal: LD50 = 19020 mg/kg; oral: LD50 = 5130 mg/kg	
78-96-6	201-162-7	1-aminopropan-2-ol; isopropanolamine	1 - < 5 %
		dermal: LD50 = 1851 mg/kg; oral: LD50 = 2813 mg/kg	
1310-58-3	215-181-3	potassium hydroxide; caustic potash	0.1 - < 1 %
		oral: LD50 = 388 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

#### After inhalation

Provide fresh air. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## Safety Data Sheet

according to UK REACH Regulation

### RemoCoat Basic

Revision date: 16.01.2024

Product code: 090682-RM

Page 4 of 10

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

#### Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# Safety Data Sheet

according to UK REACH Regulation

## RemoCoat Basic

Revision date: 16.01.2024

Product code: 090682-RM

Page 5 of 10

### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Use of protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	specific
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 70 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	11,8
Water solubility:	easily soluble
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	0,98 g/cm³
Relative vapour density:	not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

**Safety Data Sheet**

according to UK REACH Regulation

**RemoCoat Basic**

Revision date: 16.01.2024

Product code: 090682-RM

Page 6 of 10

**Explosive properties**

The product is not: Explosive.

**Oxidizing properties**

The product is not: oxidising.

**Other safety characteristics**

Evaporation rate:

not determined

Solid content:

not determined

Viscosity / dynamic:  
(at 20 °C)

12 mPa·s

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Possibility of hazardous reactions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

**10.4. Conditions to avoid**

none

**10.5. Incompatible materials**

Keep away from: Acid, Oxidizing agent, Peroxides.

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****ATEmix calculated**

ATE (oral) 9040,0 mg/kg; ATE (dermal) 48710,5 mg/kg; ATE (inhalation vapour) 29,14 mg/l

CLEANING TECHNOLOGY  
Made in Germany

kolb Cleaning Technology GmbH

**Safety Data Sheet**

according to UK REACH Regulation

**RemoCoat Basic**

Revision date: 16.01.2024

Product code: 090682-RM

Page 7 of 10

**Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether				
	oral	LD50 5660 mg/kg			
	dermal	LD50 2746 mg/kg			
96-48-0	γ-butyrolactones				
	oral	LD50 1582 mg/kg	Ratte		
	inhalation (4 h) vapour	LC50 5,1 mg/l			
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem				
	oral	LD50 5130 mg/kg	Ratte	AMA	
	dermal	LD50 19020 mg/kg	Ratte		
78-96-6	1-aminopropan-2-ol; isopropanolamine				
	oral	LD50 2813 mg/kg			
	dermal	LD50 1851 mg/kg			
1310-58-3	potassium hydroxide; caustic potash				
	oral	LD50 388 mg/kg			

**11.2. Information on other hazards****Other information**

There are no other hazards that require special attention.

**Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

The product is not: Ecotoxic.

CLEANING TECHNOLOGY  
Made in Germany

## Safety Data Sheet

according to UK REACH Regulation

## RemoCoat Basic

Revision date: 16.01.2024

Product code: 090682-RM

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 mg/l	1300	96 h		
	Acute algae toxicity	ErC50	100 mg/l			
	Acute crustacea toxicity	EC50	100 mg/l	48 h		
96-48-0	γ-butyrolactones					
	Acute fish toxicity	LC50	56 mg/l	96 h		
	Acute algae toxicity	ErC50 mg/l	1000	72 h		
	Acute crustacea toxicity	EC50	500 mg/l	48 h		
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem					
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Pimephales promelas (Amerikan. Elritze)	
	Acute algae toxicity	ErC50 mg/l	>969	96 h	Alge	
	Acute crustacea toxicity	EC50 mg/l	1919	48 h	Daphnia magna (Wasserfloh)	
	Crustacea toxicity	NOEC	12 mg/l		Daphnia magna (Wasserfloh)	
78-96-6	1-aminopropan-2-ol; isopropanolamine					
	Acute fish toxicity	LC50 mg/l	1000	96 h		
	Acute crustacea toxicity	EC50 mg/l	108,82	48 h		

**12.2. Persistence and degradability**

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
96-48-0	γ-butyrolactones			
		95%	14	
	leicht biologisch abbaubar			
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem			
	OECD 301E	>70%	28	
	biologisch abbaubar			

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.



## Safety Data Sheet

according to UK REACH Regulation

### RemoCoat Basic

Revision date: 16.01.2024

Product code: 090682-RM

Page 9 of 10

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### **List of Wastes Code - residues/unused products**

070701 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; aqueous washing liquids and mother liquors; hazardous waste

##### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55, Entry 75

2010/75/EU (VOC): 24,3 % (238,14 g/l)

2004/42/EC (VOC): 82,4 % (807,52 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### **Additional information**

Regulation (EC) No. 648/2004 [Detergents regulation]. To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

##### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## Safety Data Sheet

according to UK REACH Regulation

### RemoCoat Basic

Revision date: 16.01.2024

Product code: 090682-RM

Page 10 of 10

## SECTION 16: Other information

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
SVHC: Substance of Very High Concern  
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*