

Safety Data Sheet

according to UK REACH Regulation

RemoCoat Basic

Revision date: 15.10.2019

Product code: 090682-RM

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

RemoCoat Basic

UFI: 4H00-60WQ-Q00Y-TJP3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Electronics cleaner for spray and immersion plants

1.3. Details of the supplier of the safety data sheet

Company name:	kolb Cleaning Technology GmbH	
Street:	Karl-Arnold-Str. 12	
Place:	D-47877 Willich	
Telephone:	+49-2154-947938	Telefax: +49-2154-947947
e-mail:	info@kolb-ct.com	
Contact person:	Herr Linker	Telephone: +49-2324-97980
e-mail:	christian.linker@kolb-ct.com	
Internet:	www.kolb-ct.com	
Responsible Department:	Labor/ QS	

1.4. Emergency telephone number: +49/ (0) 23 24/ 979817 (EU)
+61 4 19 809 805 (Australia)
+1 970 443 9233 (USA)
Schweiz: 145

Further Information

Australia:	USA:
kolb Cleaning Technology AP PTY LTD	kolb USA LLC
6/150 Canterbury Road	410 Sunset, Unit C
NSW 2200 Bankstown	80501 Longmont – CO
Phone: +61 2 97900273	Phone 001- 970-532-5100
Mobile +61 4 19 809 805	Mobile: 001- 970-443-9233

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

UFI: 4H00-60WQ-Q00Y-TJP3

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

y-butyrolactones
1-aminopropan-2-ol; isopropanolamine
potassium hydroxide; caustic potash**Signal word:** Danger**Pictograms:**

Safety Data Sheet

according to UK REACH Regulation

RemoCoat Basic

Revision date: 15.10.2019

Product code: 090682-RM

Page 2 of 10

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to in accordance with local/regional/national/international regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			< 50 %
	203-961-6	603-096-00-8		
	Eye Irrit. 2; H319			
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem			30 - < 50 %
	252-104-2		01-2119450011-60	
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve			< 10 %
	203-905-0	603-014-00-0		
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H302 H315 H319			
96-48-0	γ-butyrolactones			< 20 %
	202-509-5			
	Acute Tox. 4, Eye Dam. 1, STOT SE 3; H302 H318 H336			
78-96-6	1-aminopropan-2-ol; isopropanolamine			1 - < 5 %
	201-162-7	603-082-00-1		
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H312 H314 H318			
1310-58-3	potassium hydroxide; caustic potash			0.1 - < 1 %
	215-181-3	019-002-00-8		
	Acute Tox. 4, Skin Corr. 1A; H302 H314			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

RemoCoat Basic

Revision date: 15.10.2019

Product code: 090682-RM

Page 3 of 10

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether dermal: LD50 = 4120 mg/kg; oral: LD50 = 5660 mg/kg	< 50 %
34590-94-8	252-104-2	Dipropylene glycol monomethyl ether, Isomerenngem dermal: LD50 = 19020 mg/kg; oral: LD50 = 5130 mg/kg	30 - < 50 %
111-76-2	203-905-0	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE 1200 mg/kg	< 10 %
96-48-0	202-509-5	γ -butyrolactones inhalation: LC50 = 5,1 mg/l (vapours); oral: LD50 = 1582 mg/kg	< 20 %
78-96-6	201-162-7	1-aminopropan-2-ol; isopropanolamine dermal: LD50 = 1851 mg/kg; oral: LD50 = 2813 mg/kg	1 - < 5 %
1310-58-3	215-181-3	potassium hydroxide; caustic potash oral: ATE = 500 mg/kg Skin Corr. 1A; H314: \geq 5 - 100 Skin Corr. 1B; H314: \geq 2 - < 5 Skin Irrit. 2; H315: \geq 0,5 - < 2 Eye Irrit. 2; H319: \geq 0,5 - < 2	0.1 - < 1 %

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

Safety Data Sheet

according to UK REACH Regulation

RemoCoat Basic

Revision date: 15.10.2019

Product code: 090682-RM

Page 4 of 10

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

Safety Data Sheet

according to UK REACH Regulation

RemoCoat Basic

Revision date: 15.10.2019

Product code: 090682-RM

Page 5 of 10

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol	urine	Post shift

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	specific

Changes in the physical state

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flash point:	> 70 °C

Flammability

Solid/liquid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined

Self-ignition temperature

Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
pH-Value (at 20 °C):	11,8
Viscosity / dynamic: (at 20 °C)	12 mPa·s
Water solubility:	easily soluble

Safety Data Sheet

according to UK REACH Regulation

RemoCoat Basic

Revision date: 15.10.2019

Product code: 090682-RM

Page 6 of 10

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

not determined

Vapour pressure:

not determined

Density (at 20 °C):

0,98 g/cm³

Relative vapour density:

not determined

9.2. Other information

Information with regard to physical hazard classes

Oxidizing properties

Not oxidising.

Other safety characteristics

Solid content:

not determined

Evaporation rate:

not determined

Further Information

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Safety Data Sheet

according to UK REACH Regulation

RemoCoat Basic

Revision date: 15.10.2019

Product code: 090682-RM

Page 7 of 10

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether				
	oral	LD50 5660 mg/kg	Rat		
	dermal	LD50 4120 mg/kg	Rabbit		
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem				
	oral	LD50 5130 mg/kg	Ratte	AMA	
	dermal	LD50 19020 mg/kg	Ratte		
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve				
	oral	ATE 1200 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
96-48-0	γ-butyrolactones				
	oral	LD50 1582 mg/kg	Ratte		
	inhalation (4 h) vapour	LC50 5,1 mg/l			
78-96-6	1-aminopropan-2-ol; isopropanolamine				
	oral	LD50 2813 mg/kg			
	dermal	LD50 1851 mg/kg			
1310-58-3	potassium hydroxide; caustic potash				
	oral	ATE 500 mg/kg			

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Safety Data Sheet

according to UK REACH Regulation

RemoCoat Basic

Revision date: 15.10.2019

Product code: 090682-RM

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	Acute algae toxicity	ErC50 > 100 mg/l		Scenedesmus sp.		
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna		
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem					
	Acute fish toxicity	LC50 >10000 mg/l	96 h	Pimephales promelas (Amerikan. Elritze)		
	Acute algae toxicity	ErC50 >969 mg/l	96 h	Alge		
	Acute crustacea toxicity	EC50 1919 mg/l	48 h	Daphnia magna (Wasserfloh)		
	Crustacea toxicity	NOEC 12 mg/l		Daphnia magna (Wasserfloh)		
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve					
	Acute fish toxicity	LC50 1490 mg/l	96 h	Lepomis macrochirus		
96-48-0	γ-butyrolactones					
	Acute fish toxicity	LC50 56 mg/l	96 h			
	Acute algae toxicity	ErC50 1000 mg/l	72 h			
	Acute crustacea toxicity	EC50 500 mg/l	48 h			
78-96-6	1-aminopropan-2-ol; isopropanolamine					
	Acute fish toxicity	LC50 1000 mg/l	96 h			
	Acute crustacea toxicity	EC50 108,82 mg/l	48 h			

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem				
	OECD 301E	>70%	28		
	biologisch abbaubar				
96-48-0	γ-butyrolactones				
		95%	14		
	leicht biologisch abbaubar				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	0,56 (25°C)
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve	0,81 (25°C)

Safety Data Sheet

according to UK REACH Regulation

RemoCoat Basic

Revision date: 15.10.2019

Product code: 090682-RM

Page 9 of 10

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070304 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of organic dyes and pigments (except 06 11); other organic solvents, washing liquids and mother liquors; hazardous waste

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55, Entry 75

2010/75/EU (VOC): 12 % (117,6 g/l)

2004/42/EC (VOC): 57 % (558,6 g/l)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Safety Data Sheet

according to UK REACH Regulation

RemoCoat Basic

Revision date: 15.10.2019

Product code: 090682-RM

Page 10 of 10

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H336 May cause drowsiness or dizziness.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)