

## Safety Data Sheet

according to UK REACH Regulation

### Flux Remover FR 60

Revision date: 12.03.2021

Product code: 091601-RM

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Flux Remover FR 60

UFI: 9NG0-90DK-N002-7N7F

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Professional cleaners for industrial use

#### Uses advised against

No further information is available at the moment.

### 1.3. Details of the supplier of the safety data sheet

|                         |                               |                           |
|-------------------------|-------------------------------|---------------------------|
| Company name:           | kolb Cleaning Technology GmbH |                           |
| Street:                 | Karl-Arnold-Str. 12           |                           |
| Place:                  | D-47877 Willich               |                           |
| Telephone:              | +49-2154-947938               | Telefax: +49-2154-947947  |
| e-mail:                 | info@kolb-ct.com              |                           |
| Contact person:         | Herr Linker                   | Telephone: +49-2324-97980 |
| e-mail:                 | christian.linker@kolb-ct.com  |                           |
| Internet:               | www.kolb-ct.com               |                           |
| Responsible Department: | Labor/ QS                     |                           |

**1.4. Emergency telephone number:** +49/ (0) 23 24/ 979817 (EU)  
+61 4 19 809 805 (Australia)  
+1 970 443 9233 (USA)  
Schweiz: 145

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Aerosol 3; H229  
Skin Irrit. 2; H315  
STOT SE 3; H336  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

Kohlenwasserstoffe, C7, n-Alkane, Isoalkane, cyclische  
Kohlenwasserstoffe, C6, Isoalkane, < 5% n-Hexan

**Signal word:** Warning

#### Pictograms:



#### Hazard statements

|      |   |
|------|---|
| H222 | Extremely flammable aerosol.                |
| H229 | Pressurised container: May burst if heated. |
| H315 | Causes skin irritation.                     |
| H336 | May cause drowsiness or dizziness.          |

## Safety Data Sheet

according to UK REACH Regulation

### Flux Remover FR 60

Revision date: 12.03.2021

Product code: 091601-RM

Page 2 of 9

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye/face protection.

P312 Call a POISON CENTER/doctor if you feel unwell.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container to in accordance with local/regional/national/international regulations.

#### Special labelling of certain mixtures

100 % by mass of the contents are flammable.

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

| CAS No     | Chemical name  |              |                  | Quantity    |
|------------|--|--------------|------------------|-------------|
|            | EC No  | Index No     | REACH No         |             |
|            | Classification (GB CLP Regulation)   |              |                  |             |
| 106-97-8   | butane   |              |                  | 30 - < 50 % |
|            | 203-448-7  | 601-004-00-0 |                  |             |
|            | Flam. Gas 1; H220  |              |                  |             |
| 64742-49-0 | Kohlenwasserstoffe, C7, n-Alkane, Isoalkane, cyclische   |              |                  | 15 - < 30 % |
|            | 927-510-4  |              | 01-2119475515-33 |             |
|            | Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411 |              |                  |             |
|            | Kohlenwasserstoffe, C6, Isoalkane, < 5% n-Hexan  |              |                  | 15 - < 30 % |
|            | 931-254-9  |              | 01-2119484651-34 |             |
|            | Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411 |              |                  |             |
| 74-98-6    | propane  |              |                  | 15 - < 30 % |
|            | 200-827-9  | 601-003-00-5 |                  |             |
|            | Flam. Gas 1; H220  |              |                  |             |
| 75-28-5    | isobutane  |              |                  | 1 - < 5 %   |
|            | 200-857-2  | 601-004-00-0 |                  |             |
|            | Flam. Gas 1; H220  |              |                  |             |

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

## Safety Data Sheet

according to UK REACH Regulation

### Flux Remover FR 60

Revision date: 12.03.2021

Product code: 091601-RM

Page 3 of 9

#### **4.1. Description of first aid measures**

##### **After inhalation**

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### **After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

##### **After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

##### **After ingestion**

Rinse mouth immediately and drink 1 glass of water.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

##### **Unsuitable extinguishing media**

Water.

#### **5.2. Special hazards arising from the substance or mixture**

Highly flammable. Vapours can form explosive mixtures with air.

#### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

##### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### **6.3. Methods and material for containment and cleaning up**

##### **Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

## Safety Data Sheet

according to UK REACH Regulation

### Flux Remover FR 60

Revision date: 12.03.2021

Product code: 091601-RM

Page 4 of 9

#### 7.1. Precautions for safe handling

##### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

##### **Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### **Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### **Hints on joint storage**

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### 7.3. Specific end use(s)

Professional cleaners for industrial use

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### **Exposure limits (EH40)**

| CAS No   | Substance | ppm | mg/m <sup>3</sup> | fibres/ml | Category      | Origin |
|----------|-----------|-----|-------------------|-----------|---------------|--------|
| 106-97-8 | Butane    | 600 | 1450              |           | TWA (8 h)     | WEL    |
|          |           | 750 | 1810              |           | STEL (15 min) | WEL    |

#### 8.2. Exposure controls

##### **Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### **Individual protection measures, such as personal protective equipment**

##### **Eye/face protection**

Wear eye/face protection.

##### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### **Skin protection**

Flame-retardant protective clothing. Wear anti-static footwear and clothing . .

##### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## Safety Data Sheet

according to UK REACH Regulation

### Flux Remover FR 60

Revision date: 12.03.2021

Product code: 091601-RM

Page 5 of 9

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid:  
 Colour: colourless  
 Odour: characteristic

#### Test method

#### Changes in the physical state

Melting point/freezing point: not determined  
 Boiling point or initial boiling point and boiling range: 60 °C  
 Flash point: -25 °C

#### Flammability

Solid/liquid: not applicable  
 Gas: not applicable

ISO 10156

#### Explosive properties

The product is not: Explosive.

Lower explosion limits: 0,8 vol. %  
 Upper explosion limits: 8 vol. %

#### Self-ignition temperature

Solid: not applicable  
 Gas: not applicable

Decomposition temperature: not determined

pH-Value: not determined

Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water.

#### Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: 150 hPa

Density: 0,69 g/cm<sup>3</sup>

Relative vapour density: not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

Oxidizing properties  
 The product is not: oxidising.

#### Other safety characteristics

Solid content: not determined

Evaporation rate: not determined

#### Further Information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable.

## Safety Data Sheet

according to UK REACH Regulation

### Flux Remover FR 60

Revision date: 12.03.2021

Product code: 091601-RM

Page 6 of 9

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

##### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### SECTION 12: Ecological information

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

| CAS No     | Chemical name  |               |           |         |        |        |
|------------|--|---------------|-----------|---------|--------|--------|
|            | Aquatic toxicity                                       | Dose          | [h]   [d] | Species | Source | Method |
| 64742-49-0 | Kohlenwasserstoffe, C7, n-Alkane, Isoalkane, cyclische |               |           |         |        |        |
|            | Acute fish toxicity                                    | LC50<br>mg/l  | 13,4      | 96 h    |        |        |
|            | Acute algae toxicity                                   | ErC50<br>mg/l | 20 mg/l   | 72 h    |        |        |
|            | Acute crustacea toxicity                               | EC50<br>mg/l  | 3 mg/l    | 48 h    |        |        |
|            | Kohlenwasserstoffe, C6, Isoalkane, < 5% n-Hexan        |               |           |         |        |        |
|            | Acute fish toxicity                                    | LC50<br>mg/l  | 18,27     | 96 h    |        |        |
|            | Acute algae toxicity                                   | ErC50<br>mg/l | 13,56     | 72 h    |        |        |
|            | Acute crustacea toxicity                               | EC50<br>mg/l  | 31,9      | 48 h    |        |        |

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

##### Partition coefficient n-octanol/water

| CAS No  | Chemical name | Log Pow |
|---------|---------------|---------|
| 75-28-5 | isobutane     | 2,8     |

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

## Safety Data Sheet

according to UK REACH Regulation

### Flux Remover FR 60

Revision date: 12.03.2021

Product code: 091601-RM

Page 7 of 9

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### **List of Wastes Code - residues/unused products**

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

##### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

|   |                 |
|---|-----------------|
| <b><u>14.1. UN number or ID number:</u></b>     | UN 1950         |
| <b><u>14.2. UN proper shipping name:</u></b>    | AEROSOLS        |
| <b><u>14.3. Transport hazard class(es):</u></b> | 2               |
| <b><u>14.4. Packing group:</u></b>              | -               |
| Hazard label:                                   | 2.1             |
| Classification code:                            | 5F              |
| Special Provisions:                             | 190 327 344 625 |
| Limited quantity:                               | 1 L             |
| Excepted quantity:                              | E0              |
| Transport category:                             | 2               |
| Tunnel restriction code:                        | D               |

#### **Inland waterways transport (ADN)**

|   |                 |
|---|-----------------|
| <b><u>14.1. UN number or ID number:</u></b>     | UN 1950         |
| <b><u>14.2. UN proper shipping name:</u></b>    | AEROSOLS        |
| <b><u>14.3. Transport hazard class(es):</u></b> | 2               |
| <b><u>14.4. Packing group:</u></b>              | -               |
| Hazard label:                                   | 2.1             |
| Classification code:                            | 5F              |
| Special Provisions:                             | 190 327 344 625 |
| Limited quantity:                               | 1 L             |
| Excepted quantity:                              | E0              |

#### **Marine transport (IMDG)**

|   |                                  |
|---|----------------------------------|
| <b><u>14.1. UN number or ID number:</u></b>     | UN 1950                          |
| <b><u>14.2. UN proper shipping name:</u></b>    | AEROSOLS                         |
| <b><u>14.3. Transport hazard class(es):</u></b> | 2.1                              |
| <b><u>14.4. Packing group:</u></b>              | -                                |
| Hazard label:                                   | 2.1                              |
| Special Provisions:                             | 63, 190, 277, 327, 344, 381, 959 |

## Safety Data Sheet

according to UK REACH Regulation

### Flux Remover FR 60

Revision date: 12.03.2021

Product code: 091601-RM

Page 8 of 9

Limited quantity: 1000 mL  
 Excepted quantity: E0  
 EmS: F-D, S-U

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS, FLAMMABLE  
**14.3. Transport hazard class(es):** 2.1  
**14.4. Packing group:** -  
 Hazard label: 2.1  
 Special Provisions: A145 A167 A802  
 Limited quantity Passenger: 30 kg G  
 Passenger LQ: Y203  
 Excepted quantity: E0  
 IATA-packing instructions - Passenger: 203  
 IATA-max. quantity - Passenger: 75 kg  
 IATA-packing instructions - Cargo: 203  
 IATA-max. quantity - Cargo: 150 kg

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Warning: Flammable gases.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 29, Entry 40

2010/75/EU (VOC): 99 % (683,1 g/l)  
 2004/42/EC (VOC): 100 % (690 g/l)  
 Information according to 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment  
 Additional information: P5c

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).  
 Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances



## Safety Data Sheet

according to UK REACH Regulation

### Flux Remover FR 60

Revision date: 12.03.2021

Product code: 091601-RM

Page 9 of 9

CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification          | Classification procedure      |
|-------------------------|-------------------------------|
| Aerosol 3; H229         | On basis of test data         |
| Skin Irrit. 2; H315     | Bridging principle "Aerosols" |
| STOT SE 3; H336         | Bridging principle "Aerosols" |
| Aquatic Chronic 2; H411 | Calculation method            |

#### Relevant H and EUH statements (number and full text)

|      |  |
|------|--|
| H220 | Extremely flammable gas.                         |
| H222 | Extremely flammable aerosol.                     |
| H225 | Highly flammable liquid and vapour.              |
| H229 | Pressurised container: May burst if heated.      |
| H304 | May be fatal if swallowed and enters airways.    |
| H315 | Causes skin irritation.                          |
| H336 | May cause drowsiness or dizziness.               |
| H411 | Toxic to aquatic life with long lasting effects. |

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*