

according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-B1

Revision date: 10.01.2024 Product code: 090609-RM Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MultiEx 3D-B1

Further trade names

Old name: MultiEx 3D-E14 BAW

UFI: PET2-E0EF-P00T-71DD

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Electronics cleaner for spray and immersion plants

1.3. Details of the supplier of the safety data sheet

Company name: kolb Cleaning Technology GmbH

Street: Karl-Arnold-Str. 12
Place: D-47877 Willich
Telephone: +49-2154-947938

Telephone: +49-2154-947938 Telefax: +49-2154-947947

e-mail: info@kolb-ct.com

Contact person: Christian Linker Telephone: +49-2324-97980

e-mail: christian.linker@kolb-ct.com

Internet: www.kolb-ct.com

Responsible Department: Labor/ QS

1.4. Emergency telephone +49/ (0) 23 24/ 979817 (EU)

number: +49 (0) 23 24/ 979617 (EU) +61 4 19 809 805 (Australia) +1 970 443 9233 (USA)

Schweiz: 145

Further Information

Australia: USA:

 kolb Cleaning Technology AP PTY LTD
 kolb USA LLC

 6/150 Canterbury Road
 410 Sunset, Unit C

 NSW 2200 Bankstown
 80501 Longmont – CO

 Phone: +61 2 97900273
 Phone 001- 970-532-5100

 Mobile: +61 4 19 809 805
 Mobile: 001- 970-443-9233

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation.H319 Causes serious eye irritation.



according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-B1

Revision date: 10.01.2024 Product code: 090609-RM Page 2 of 9

Precautionary statements

P264 Wash Hände thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of Wasser.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Cleaner on the basis of (according to EC Detergents Regulation 648/2004): Alkyle propylene glycole, alkalis, glycols

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No		REACH No	
	Classification (Regulation (EC	C) No 1272/2008)			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether				30 - < 50 %
	203-961-6	603-096-00-8			
	Eye Irrit. 2; H319				
141-43-5	2-aminoethanol; ethanolamine				
	205-483-3	603-030-00-8			
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H332 H312 H302 H314 H318 H335				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	30 - < 50 %
	dermal: LD50 =	2746 mg/kg; oral: LD50 = 5660 mg/kg	
141-43-5	205-483-3	2-aminoethanol; ethanolamine	1 - < 5 %
		= 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = al: LD50 = 1089 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an



according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-B1

Revision date: 10.01.2024 Product code: 090609-RM Page 3 of 9

ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe gas/fumes/vapour/spray.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.



according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-B1

Revision date: 10.01.2024 Product code: 090609-RM Page 4 of 9

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: Amines

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not applicable not applicable

not determined

full soluble in water.

Upper explosion limits:

Flash point:

Decomposition temperature:

not determined

> 100 °C

not determined

pH-Value (at 202 °C): 11,1

Solubility in other solvents

not determined

Water solubility:

Lower explosion limits:

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

(at 20 °C)



according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-B1

Revision date: 10.01.2024 Product code: 090609-RM Page 5 of 9

Density (at 20 °C): 0,98 g/cm³ Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solvent content: >50 Solid content: not determined 2ustandsänderung: < 0 °C Viscosity / dynamic: 30 mPa·s

(at 20 °C)

Further Information

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 64058,8 mg/kg; ATE (dermal) 64705,9 mg/kg; ATE (inhalation vapour) 647,06 mg/l; ATE (inhalation dust/mist) 88,235 mg/l



according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-B1

Revision date: 10.01.2024 Product code: 090609-RM Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	oral	LD50 mg/kg	5660			
	dermal	LD50 mg/kg	2746			
141-43-5						
	oral	LD50 mg/kg	1089	Rat		
	dermal	LD50 mg/kg	2504	Rabbit		
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Other information

There are no other hazards that require special attention.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
112-34-5	2-(2-butoxyethoxy)ethano	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether						
	Acute fish toxicity	LC50 mg/l	1300	96 h				
	Acute algae toxicity	ErC50	100 mg/l					
	Acute crustacea toxicity	EC50	100 mg/l	48 h				
141-43-5	2-aminoethanol; ethanolamine							
	Acute fish toxicity	LC50	349 mg/l	96 h				
	Acute algae toxicity	ErC50	2,8 mg/l	72 h				
	Acute crustacea toxicity	EC50	65 mg/l	48 h				



according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-B1

Revision date: 10.01.2024 Product code: 090609-RM Page 7 of 9

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother

liquors; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

armo transport (mibo)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-B1

Revision date: 10.01.2024 Product code: 090609-RM Page 8 of 9

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55, Entry 75

2010/75/EU (VOC): 5,263 % (51,573 g/l) 2004/42/EC (VOC): 56,163 % (550,393 g/l)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)


H302	Harmiui ii swallowed.
H312	Harmful in contact with skin.
H31/I	Causes severe skin hurns and a

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.





according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-B1

Revision date: 10.01.2024 Product code: 090609-RM Page 9 of 9

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)