

according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-H2

Revision date: 08.01.2024 Product code: 090663-RM Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

MultiEx 3D-H2

#### **Further trade names**

Old name: MultiEx 3D-E14 HPA2

UFI: 2MU2-H030-Y00Q-GTJ9

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Electronics cleaner for spray and immersion plants

#### 1.3. Details of the supplier of the safety data sheet

Company name: kolb Cleaning Technology GmbH

Street: Karl-Arnold-Str. 12
Place: D-47877 Willich
Telephone: +49-2154-947938

Telephone: +49-2154-947938 Telefax: +49-2154-947947

e-mail: info@kolb-ct.com

Contact person: Christian Linker Telephone: +49-2324-97980

e-mail: christian.linker@kolb-ct.com

Internet: www.kolb-ct.com
Responsible Department: Labor/ QS

1.4. Emergency telephone +49/ (0) 23 24/ 979817 (EU) number: +61 4 19 809 805 (Australia)

+1 970 443 9233 (USA)

Schweiz: 145

## **Further Information**

Australia: USA:

 kolb Cleaning Technology AP PTY LTD
 kolb USA LLC

 6/150 Canterbury Road
 410 Sunset, Unit C

 NSW 2200 Bankstown
 80501 Longmont – CO

 Phone: +61 2 97900273
 Phone 001- 970-532-5100

 Mobile: 001- 970-443-9233

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



#### Hazard statements

H315 Causes skin irritation.H319 Causes serious eye irritation.



according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-H2

Revision date: 08.01.2024 Product code: 090663-RM Page 2 of 10

#### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Cleaner on the basis of (according to EC Detergents Regulation 648/2004): glycols, alcohols, alkalis, phosphonic acide derivatives.

### **Hazardous components**

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulation (EC)	No 1272/2008)			
34590-94-8	Dipropylene glycol monomethy	l ether, Isomerengem		5 - < 15 %	
	252-104-2		01-2119450011-60		
112-34-5	2-(2-butoxyethoxy)ethanol; die	thylene glycol monobutyl ethe	•	5 - < 15 %	
	203-961-6	603-096-00-8			
	Eye Irrit. 2; H319				
67-63-0	propan-2-ol; isopropyl alcohol;	isopropanol		1 - < 5 %	
	200-661-7	603-117-00-0			
	Flam. Liq. 2, Eye Irrit. 2, STOT	SE 3; H225 H319 H336			
78-96-6	1-aminopropan-2-ol; isopropar	olamine		1 - < 5 %	
	201-162-7	603-082-00-1			
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H312 H314 H318				

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

<del></del>					
CAS No	EC No	Chemical name			
	Specific Conc	. Limits, M-factors and ATE			
34590-94-8	252-104-2	Dipropylene glycol monomethyl ether, Isomerengem	5 - < 15 %		
	dermal: LD50	) = 19020 mg/kg; oral: LD50 = 5130 mg/kg			
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	5 - < 15 %		
	dermal: LD50	) = 2746 mg/kg; oral: LD50 = 5660 mg/kg			
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	1 - < 5 %		
	dermal: LD50	) = 12800 mg/kg; oral: LD50 = 5050 mg/kg			
78-96-6	201-162-7	1-aminopropan-2-ol; isopropanolamine	1 - < 5 %		
	dermal: LD50	) = 1851 mg/kg; oral: LD50 = 2813 mg/kg			



according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-H2

Revision date: 08.01.2024 Product code: 090663-RM Page 3 of 10

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### **SECTION 7: Handling and storage**



according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-H2

Revision date: 08.01.2024 Product code: 090663-RM Page 4 of 10

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

## Hints on joint storage

No special measures are necessary.

## 7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
34590-94-8	(2-Methoxymethylethoxy)-l-propanol	50	308		TWA (8 h)	
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	
67-63-0	Isopropyl alcohol	200	-		TWA (8 h)	
		400	-		STEL (15 min)	
102-71-6	Triethanolamine	-	5		TWA (8 h)	

# **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
67-63-0	2-Propanol	Acetone	40 mg/L		End of shift at end of workweek

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
102-71-6	2,2',2"-Nitrilotriethanol			
Worker DNEI	L, long-term	dermal	systemic	6,3 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	5 mg/m³
Worker DNEL, long-term		inhalation	local	5 mg/m³
Consumer DNEL, long-term		dermal	systemic	3,1 mg/kg bw/day
Consumer DI	NEL, long-term	inhalation	systemic	1,25 mg/m³
Consumer DNEL, long-term		inhalation	local	1,25 mg/m³
Consumer DNEL, long-term		oral	systemic	13 mg/kg bw/day



according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-H2

Product code: 090663-RM Revision date: 08.01.2024 Page 5 of 10

#### **PNEC values**

CACNE	Cultura	
CAS No	Substance	
Environmental	compartment	Value
102-71-6	2,2',2"-Nitrilotriethanol	
Freshwater		0,32 mg/l
Marine water		0,032 mg/l
Freshwater sec	liment	1,7 mg/kg
Marine sedime	nt	0,17 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,151 mg/kg
Air		5,12 mg/l

#### 8.2. Exposure controls

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

# Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: colourless Odour: Amines

Melting point/freezing point: not determined Boiling point or initial boiling point and not determined

boiling range:

Flammability: not applicable not applicable

not determined

Lower explosion limits: Upper explosion limits: not determined Flash point: > 100 °C Decomposition temperature: not determined

pH-Value (at 20 °C): 10.8 Water solubility: full soluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

(at 20 °C)

Density (at 20 °C): 0,965 g/cm3



according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-H2

Revision date: 08.01.2024 Product code: 090663-RM Page 6 of 10

Relative vapour density: not determined

#### 9.2. Other information

### Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

#### Other safety characteristics

Evaporation rate: not determined Solid content: not determined Viscosity / dynamic: 40 mPa·s (at 20 °C)

#### **Further Information**

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)

# **SECTION 10: Stability and reactivity**

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

Keep away from: Acid

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

Based on available data, the classification criteria are not met.

## **ATEmix** calculated

ATE (dermal) 77125,0 mg/kg



according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-H2

Revision date: 08.01.2024 Product code: 090663-RM Page 7 of 10

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
34590-94-8	Dipropylene glycol m	onomethyl eth	er, Isomerenç	gem			
	oral	LD50 mg/kg	5130	Ratte	AMA		
	dermal	LD50 mg/kg	19020	Ratte			
112-34-5	2-(2-butoxyethoxy)eth	nanol; diethyle	ne glycol mor	nobutyl ether			
	oral	LD50 mg/kg	5660				
	dermal	LD50 mg/kg	2746				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
	oral	LD50 mg/kg	5050	Rat			
	dermal	LD50 mg/kg	12800	Rabbit			
78-96-6	1-aminopropan-2-ol;	isopropanolam	ine				
	oral	LD50 mg/kg	2813				
	dermal	LD50 mg/kg	1851				

## Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

## Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 11.2. Information on other hazards

### Other information

There are no other hazards that require special attention.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-H2

Revision date: 08.01.2024 Product code: 090663-RM Page 8 of 10

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
34590-94-8	Dipropylene glycol monor	nethyl ether,	, Isomerenge	em				
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Pimephales promelas (Amerikan. Elritze)			
	Acute algae toxicity	ErC50 mg/l	>969	96 h	Alge			
	Acute crustacea toxicity	EC50 mg/l	1919		Daphnia magna (Wasserfloh)			
	Crustacea toxicity	NOEC	12 mg/l		Daphnia magna (Wasserfloh)			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether							
	Acute fish toxicity	LC50 mg/l	1300	96 h				
	Acute algae toxicity	ErC50	100 mg/l					
	Acute crustacea toxicity	EC50	100 mg/l	48 h				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol							
	Acute fish toxicity	LC50 mg/l	9640	96 h				
	Acute crustacea toxicity	EC50 mg/l	1400	48 h				
78-96-6	1-aminopropan-2-ol; isop	1-aminopropan-2-ol; isopropanolamine						
	Acute fish toxicity	LC50 mg/l	1000	96 h				
	Acute crustacea toxicity	EC50 mg/l	108,82	48 h				

# 12.2. Persistence and degradability

The product has not been tested.

	Toddot Hao Hot boott tootod.			
CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	·	-	
34590-94-8	Dipropylene glycol monomethyl ether, Isom	nerengem		
	OECD 301E	>70%	28	
	biologisch abbaubar		-	

# 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6

### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects



according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-H2

Revision date: 08.01.2024 Product code: 090663-RM Page 9 of 10

No information available.

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation,

supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and

mother liquors; hazardous waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

#### **SECTION 14: Transport information**

Land transport (ADR/RID)

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

# 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 55, Entry 75

2010/75/EU (VOC): 20,7 % (199,755 g/l) 2004/42/EC (VOC): 20,7 % (199,755 g/l)

**Additional information** 

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**



kolb Cleaning Technology GmbH

according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-H2

Revision date: 08.01.2024 Product code: 090663-RM Page 10 of 10

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)