

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision date: 01.10.2020

Product code: 091604

Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

OF1 Ofenreinigungsgel

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Professional cleaners for industrial use

#### 1.3. Details of the supplier of the safety data sheet

Company name:	kolb Cleaning Technology GmbH	
Street:	Karl-Arnold-Str. 12	
Place:	D-47877 Willich	
Telephone:	+49-2154-947938	Telefax: +49-2154-947947
e-mail:	info@kolb-ct.com	
Contact person:	Herr Linker	Telephone: +49-2324-97980
e-mail:	christian.linker@kolb-ct.com	
Internet:	www.kolb-ct.com	
Responsible Department:	Labor/ QS	

#### 1.4. Emergency telephone number:

+49/ (0) 23 24/ 979817 (EU)  
+61 4 19 809 805 (Australia)  
+1 970 443 9233 (USA)  
Schweiz: 145

#### Further Information

Australia:	USA:
kolb Cleaning Technology AP PTY LTD	kolb USA LLC
6/150 Canterbury Road	410 Sunset, Unit C
NSW 2200 Bankstown	80501 Longmont – CO
Phone: +61 2 97900273	Phone 001- 970-532-5100
Mobile +61 4 19 809 805	Mobile: 001- 970-443-9233

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



##### Hazard statements

H319 Causes serious eye irritation.

##### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### OF1 Ofenreinigungsgel

Revision date: 01.10.2020

Product code: 091604

Page 2 of 9

P337+P313 If eye irritation persists: Get medical advice/attention.

#### Additional advice on labelling

UFI: VY90-V0UD-E00E-J3S6

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Cleaner on the basis of (according to EC Detergents Regulation 648/2004): < 5 % nonionic surfactants, < 5 % anionic surfactants; alkalis, glycols

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			1 - < 5 %
	203-961-6	603-096-00-8		
	Eye Irrit. 2; H319			
68439-51-0	Alcohols, C12-14, ethoxylated propoxylated			1 - < 5 %
	931-986-9			
	Aquatic Chronic 3; H412			
69011-36-5	Isotridecanol, ethoxyliert			1 - < 5 %
	Eye Dam. 1, Aquatic Chronic 3; H318 H412			

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### After inhalation

Provide fresh air.

##### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

##### After ingestion

Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### OF1 Ofenreinigungsgel

Revision date: 01.10.2020

Product code: 091604

Page 3 of 9

#### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

#### **5.2. Special hazards arising from the substance or mixture**

Non-flammable.

#### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations.

##### **Hints on joint storage**

No special measures are necessary.

#### **7.3. Specific end use(s)**

Professional cleaners for industrial use

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### OF1 Ofenreinigungsgel

Revision date: 01.10.2020

Product code: 091604

Page 4 of 9

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
128-37-0	2,6-Di-tert-butyl-p-cresol	-	10		TWA (8 h)	WEL
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL

#### 8.2. Exposure controls

##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Wear suitable protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	specific
pH-Value (at 20 °C):	10,9

##### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	100 °C
Flash point:	see section 9.2 °C

##### Flammability

Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined

##### Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### OF1 Ofenreinigungsgel

Revision date: 01.10.2020

Product code: 091604

Page 5 of 9

#### Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 1,026 g/cm<sup>3</sup>

Water solubility: easily soluble

#### Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / kinematic:  
(at 20 °C) 32 mm<sup>2</sup>/s

Vapour density: not determined

Evaporation rate: not determined

#### 9.2. Other information

Solid content: not determined

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether				
	oral	LD50 mg/kg	5660	Rat	
	dermal	LD50 mg/kg	4120	Rabbit	
68439-51-0	Alcohols, C12-14, ethoxylated propoxylated				
	oral	LD50 mg/kg	>2000	Ratte	

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### OF1 Ofenreinigungsgel

Revision date: 01.10.2020

Product code: 091604

Page 6 of 9

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	Acute algae toxicity	ErC50 mg/l	> 100		Scenedesmus sp.	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	
68439-51-0	Alcohols, C12-14, ethoxylated propoxylated					
	Acute fish toxicity	LC50 mg/l	>1-10	96 h	Poecilia reticulata (Guppy)	OECD 203
	Acute algae toxicity	ErC50 mg/l	>1-10	72 h	Desmodesmus subspicatus (Grünalge)	OECD 201
	Acute crustacea toxicity	EC50 mg/l	>1-10	48 h	Daphnia magna (Großer Wasserfloh)	OECD 202

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
68439-51-0	Alcohols, C12-14, ethoxylated propoxylated			
		>60%	28	OECD TG 301 B
	leicht biologisch abbaubar			
		>70%	28	OECD TG 301 A
	leicht biologisch abbaubar			

### 12.3. Bioaccumulative potential

The product has not been tested.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### OF1 Ofenreinigungsgel

Revision date: 01.10.2020

Product code: 091604

Page 7 of 9

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	0,56 (25°C)

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### Land transport (ADR/RID)

#### 14.1. UN number:

No dangerous good in sense of this transport regulation. No dangerous good in sense of these transport regulations.

#### 14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

#### 14.1. UN number:

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

#### 14.1. UN number:

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

#### 14.1. UN number:

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### OF1 Ofenreinigungsgel

Revision date: 01.10.2020

Product code: 091604

Page 8 of 9

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 55: 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether

2010/75/EU (VOC): 0,97 % (9,952 g/l)

2004/42/EC (VOC): 1 % (10,26 g/l)

##### Additional information

Regulation (EC) No. 648/2004 (Detergents regulation). To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.





CLEANING TECHNOLOGY  
Made in Germany

kolb Cleaning Technology GmbH

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### OF1 Ofenreinigungsgel

Revision date: 01.10.2020

Product code: 091604

Page 9 of 9

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*