



according to Regulation (EC) No 1907/2006 (2020/878)

PowerBooster MPA

Revision date: 05.01.2024

Product code: 090605-CN

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PowerBooster MPA

Further trade names

vormals/ old name: Alk M, Alkalisator M

UFI:

4GV2-K000-100P-37CX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

1.3. Details of the supplier of the safety data sheet

| Company name: | kolb Clean | ing Technology GmbH | |
|-----------------------------|---------------|-------------------------|---------------------------|
| Street: | Karl-Arnolo | J-Str. 12 | |
| Place: | D-47877 W | Villich | |
| Telephone: | +49-2154-9 | 947938 | Telefax:+49-2154-947947 |
| e-mail: | info@kolb- | ct.com | |
| Contact person: | Christian L | inker | Telephone: +49-2324-97980 |
| e-mail: | christian.lir | nker@kolb-ct.com | |
| Internet: | www.kolb-o | ct.com | |
| Responsible Department: | Labor/ QS | | |
| 1.4. Emergency telephone | +49/ (0) 23 | 3 24/ 979817 (EU) | |
| number: | +61 4 19 8 | 09 805 (Australia) | |
| | +1 970 443 | 3 9233 (USA) | |
| | Schweiz: 1 | 45 | |
| Further Information | | | |
| Australia: | | USA: | |
| kolb Cleaning Technology AF | PTY LTD | kolb USA LLC | |
| 6/150 Canterbury Road | | 410 Sunset, Unit C | |
| NSW 2200 Bankstown | | 80501 Longmont – CO | |
| Phone: +61 2 97900273 | | Phone 001- 970-532-5100 | |

SECTION 2: Hazards identification

Mobile +61 4 19 809 805

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Skin Corr. 1; H314 Eye Dam. 1; H318 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

2-aminoethanol; ethanolamine

Signal word: Danger

Mobile: 001- 970-443-9233



according to Regulation (EC) No 1907/2006 (2020/878)

PowerBooster MPA

Revision date: 05.01.2024 Product code: 090605-CN Page 2 of 9
Pictograms:

| Hazard statements H302+H312+H332 H314 H335 | Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause respiratory irritation. |
|---|--|
| Precautionary statemer | nts |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P501 | Dispose of contents/container to |

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | Quantity | | |
|----------|--|--------------------------------------|---------------------|--|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 141-43-5 | 2-aminoethanol; ethanolamine | | | |
| | 205-483-3 | 603-030-00-8 | | |
| | Acute Tox. 4, Acute Tox. 4, Acute T H302 H314 H318 H335 | ox. 4, Skin Corr. 1B, Eye Dam. 1, ST | TOT SE 3; H332 H312 | |

Full text of H and EUH statements: see section 16.

| Specific Cor | Specific Conc. Limits, M-factors and ATE | | | | | |
|--------------|--|--|----------|--|--|--|
| CAS No | EC No Chemical name | | | | | |
| | Specific Conc. Limits, M-factors and ATE | | | | | |
| 141-43-5 | -5 205-483-3 2-aminoethanol; ethanolamine | | > 75 % % | | | |
| | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 2504 mg/kg; oral: LD50 = 1089 mg/kg STOT SE 3; H335: >= 5 - 100 | | | | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.



according to Regulation (EC) No 1907/2006 (2020/878)

PowerBooster MPA

Revision date: 05.01.2024

Product code: 090605-CN

Page 3 of 9

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006 (2020/878)

PowerBooster MPA

Revision date: 05.01.2024

Product code: 090605-CN

Page 4 of 9

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|----------|----------------|-----|-------|---------|---------------|--------|
| 141-43-5 | 2-Aminoethanol | 1 | 2.5 | | TWA (8 h) | |
| | | 3 | 7.6 | | STEL (15 min) | |

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.



Test method



Safety Data Sheet

according to Regulation (EC) No 1907/2006 (2020/878)

PowerBooster MPA

Revision date: 05.01.2024

Product code: 090605-CN

Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Melting point/freezing point: | not determined | |
|--|-------------------|-----------|
| Boiling point or initial boiling point and | 110 °C | |
| boiling range: | | |
| Flammability: | not determined | |
| Lower explosion limits: | not determined | |
| Upper explosion limits: | not determined | |
| Flash point: | [see also 9.2] °C | |
| Auto-ignition temperature: | > 300 °C | DIN 51794 |
| Decomposition temperature: | not determined | |
| pH-Value (at 20 °C): | 12,5 | |
| Water solubility: | easily soluble | |
| Solubility in other solvents | | |
| not determined | | |
| Partition coefficient n-octanol/water: | not determined | |
| Vapour pressure: | 10-20 hPa | |
| Density (at 20 °C): | 1 g/cm³ | |
| Relative vapour density: | not determined | |
| 9.2. Other information | | |
| Information with regard to physical hazard classes Explosive properties | | |
| | | |

The product is not: Explosive. Oxidizing properties The product is not: oxidising.

Other safety characteristics

| not determined |
|----------------|
| not determined |
| > 30 mPa·s |
| |
| |

Further Information

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.



according to Regulation (EC) No 1907/2006 (2020/878)

PowerBooster MPA

Revision date: 05.01.2024

Product code: 090605-CN

Page 6 of 9

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATEmix calculated

ATE (oral) 1281,2 mg/kg; ATE (dermal) 1294,1 mg/kg; ATE (inhalation vapour) 12,94 mg/l; ATE (inhalation dust/mist) 1,765 mg/l

Acute toxicity

| CAS No | Chemical name | | | | | | | |
|----------|------------------------|------------------------------|----------|---------|--------|--------|--|--|
| | Exposure route | Dose | | Species | Source | Method | | |
| 141-43-5 | 2-aminoethanol; ethano | 2-aminoethanol; ethanolamine | | | | | | |
| | oral | LD50 mg/kg | 1089 | Rat | | | | |
| | dermal | LD50 mg/kg | 2504 | Rabbit | | | | |
| | inhalation vapour | ATE | 11 mg/l | | | | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | | | | |

11.2. Information on other hazards

Other information

There are no other hazards that require special attention.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

| CAS No | Chemical name | | | | | | |
|----------|------------------------------|-------|----------|-----------|---------|--------|--------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 141-43-5 | 2-aminoethanol; ethanolamine | | | | | | |
| | Acute fish toxicity | LC50 | 349 mg/l | 96 h | | | |
| | Acute algae toxicity | ErC50 | 2,8 mg/l | 72 h | | | |
| | Acute crustacea toxicity | EC50 | 65 mg/l | 48 h | | | |

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects



according to Regulation (EC) No 1907/2006 (2020/878)

PowerBooster MPA

Revision date: 05.01.2024

Product code: 090605-CN

Page 7 of 9

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

| Lanu transport (ADR/RID) | |
|--------------------------------------|-----------------------|
| 14.1. UN number or ID number: | UN 2491 |
| 14.2. UN proper shipping name: | ETHANOLAMINE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | 111 |
| Hazard label: | 8 |
| Classification code: | C7 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |
| Inland waterways transport (ADN) | |
| 14.1. UN number or ID number: | UN 2491 |
| 14.2. UN proper shipping name: | ETHANOLAMINE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Classification code: | C7 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Marine transport (IMDG) | |
| 14.1. UN number or ID number: | UN 2491 |
| 14.2. UN proper shipping name: | ETHANOLAMINE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | 111 |
| Hazard label: | 8 |
| Special Provisions: | 223 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| EmS: | F-A, S-B |
| Air transport (ICAO-TI/IATA-DGR) | |
| <u>14.1. UN number or ID number:</u> | UN 2491 |
| 14.2. UN proper shipping name: | ETHANOLAMINE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | Ш |
| | |

according to Regulation (EC) No 1907/2006 (2020/878)

| | PowerBooster MPA | | | |
|--|--|-------------|--|--|
| Revision date: 05.01.2024 | Product code: 090605-CN | Page 8 of 9 | | |
| Hazard label: Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo: | 8 A3 A803 1 L Y841 E1 852 5 L 856 60 L | | | |
| 14.5. Environmental hazards | | | | |
| ENVIRONMENTALLY HAZARDOUS: | No | | | |
| <u>14.6. Special precautions for user</u> Warning: strongly corrosive. <u>14.7. Maritime transport in bulk according to</u> not applicable | IMO instruments | | | |
| SECTION 15: Regulatory information | | | | |
| 15.1. Safety, health and environmental regul | ations/legislation specific for the substance or mixture | | | |
| EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3 | | | | |
| 2010/75/EU (VOC): | 85 % (850 g/l) | | | |
| 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): | 85 % (850 g/l) Not subject to 2012/18/EU (SEVESO III) | | | |
| Additional information To follow: 850/2004/EC, 79/117/EEC, 6 | 89/2008/EC | | | |
| National regulatory information | | | | |
| Employment restrictions: Water hazard class (D): Skin resorption/Sensitization: | Observe restrictions to employment for juveniles according to the 'juvenile' (94/33/EC). 1 - slightly hazardous to water Permeates easily through outer skin and causes poisoning. | venile | | |
| <u>15.2. Chemical safety assessment</u> Chemical safety assessments for subst | ances in this mixture were not carried out. | | | |
| SECTION 16: Other information | | | | |
| | des marchandises dangereuses par Route | | | |
| (European Agreement concerning the I IMDG: International Maritime Code for IATA: International Air Transport Assoc | - | | | |

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals



according to Regulation (EC) No 1907/2006 (2020/878)

PowerBooster MPA

Revision date: 05.01.2024

Product code: 090605-CN

Page 9 of 9

UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

ClassificationClassification procedureAcute Tox. 4; H302Calculation methodAcute Tox. 4; H312Calculation methodAcute Tox. 4; H332Calculation methodSkin Corr. 1; H314On basis of test dataEye Dam. 1; H318On basis of test dataSTOT SE 3; H335Calculation method

Relevant H and EUH statements (number and full text)

| H302 | Harmful if swallowed. |
|----------------|---|
| H302+H312+H332 | Harmful if swallowed, in contact with skin or if inhaled. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)